

Highlight: Quasi-Crystalline Order at Nanoscale

January 11 2010



TEM showing the two-dimensional dodecagonal quasi-crystalline structure self-assembled from 5-nm Au and 13.4-nm Fe₃O₄ nanoparticles.

Nanoparticles have a strong tendency to form periodic structures. Mixing and matching of two different types of nanoparticles allows the formation of binary nanoparticle superlattices isostructural to ionic or intermetallic compounds. In addition to periodic superlattices, binary mixtures of nearly spherical nanoparticles could lead to the growth of quasi-crystals.

CNM staff in the Nanobio Interfaces Group, together with colleagues from the University of Chicago and the University of Pennsylvania, have found that two-dimensional dodecagonal quasi-crystals can be formed in

mixtures of 3-nm Pd and 9-nm PbS, 5-nm Au and 13.4-nm Fe₂O₃, and 4.7-nm Au and 12.6-nm Fe₃O₄ [nanoparticles](#).

Studies of [self-assembly](#) of quasi-crystalline nanoparticle superstructures will provide insight into the formation of the quasi-crystalline phase in atomic systems. The assembly of the dodecagonal quasi-crystalline phase from different nanoparticle combinations shows that quasi-crystalline ordering can be a quite common phenomenon in nanocrystal solids.

More information: "Quasi-crystalline order in self-assembled binary nanoparticle superlattices," D. V. Talapin, E. V. Shevchenko, M. I. Bodnarchuk, X. Ye, J. Chen, and C. B. Murray, *Nature* 461, 964-967 (15 October 2009), [doi:10.1038/nature08439](https://doi.org/10.1038/nature08439)

Provided by Argonne National Laboratory

Citation: Highlight: Quasi-Crystalline Order at Nanoscale (2010, January 11) retrieved 4 April 2024 from <https://phys.org/news/2010-01-highlight-quasi-crystalline-nanoscale.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.