

'Survival of the cutest' proves Darwin right

January 20 2010

Domestic dogs have followed their own evolutionary path, twisting Darwin's directive "survival of the fittest" to their own needs -- and have proved him right in the process, according to a new study by biologists Chris Klingenberg, of the University of Manchester and Abby Drake, of the College of the Holy Cross in the US.

The study, published in the [American Naturalist](#) today (20th January 2010), compared the skull shapes of [domestic dogs](#) with those of different species across the order *Carnivora*, to which dogs belong along with cats, bears, weasels, civets and even seals and walruses.

It found that the skull shapes of domestic dogs varied as much as those of the whole order. It also showed that the extremes of diversity were farther apart in domestic dogs than in the rest of the order. This means, for instance, that a Collie has a skull shape that is more different from that of a Pekingese than the skull shape of the cat is from that of a walrus.

Dr Drake explains: "We usually think of evolution as a slow and gradual process, but the incredible amount of diversity in domestic dogs has originated through [selective breeding](#) in just the last few hundred years, and particularly after the modern purebred dog breeds were established in the last 150 years."

By contrast, the order *Carnivora* dates back at least 60 million years. The massive diversity in the shapes of the dogs' skulls emphatically proves that selection has a powerful role to play in evolution and the level of

diversity that separates species and even families can be generated within a single species, in this case in dogs.

Much of the diversity of domestic dog skulls is outside the range of variation in the *Carnivora*, and thus represents [skull](#) shapes that are entirely novel.

Dr Klingenberg adds: "Domestic dogs are boldly going where no self respecting carnivore ever has gone before.

"Domestic dogs don't live in the wild so they don't have to run after things and kill them - their food comes out of a tin and the toughest thing they'll ever have to chew is their owner's slippers. So they can get away with a lot of variation that would affect functions such as breathing and chewing and would therefore lead to their extinction.

"Natural selection has been relaxed and replaced with artificial selection for various shapes that breeders favour."

Domestic dogs are a model species for studying longer term natural selection. Darwin studied them, as well as pigeons and other domesticated species.

Drake and Klingenberg compared the amazing amount of diversity in dogs to the entire order *Carnivora*. They measured the positions of 50 recognizable points on the skulls of dogs and their 'cousins' from the rest of the order *Carnivora*, and analyzed shape variation with newly developed methods.

The team divided the dog breeds into categories according to function, such as hunting, herding, guarding and companion dogs. They found the companion (or pet) dogs were more variable than all the other categories put together.

According to Drake, "Dogs are bred for their looks not for doing a job so there is more scope for outlandish variations, which are then able to survive and reproduce."

Dr Klingenberg concludes: "I think this example of head shape is characteristic of many others and is showing it so clearly, showing what happens when you consistently and over time apply selection.

"This study illustrates the power of Darwinian selection with so much variation produced in such a short period of time. The evidence is very strong."

Provided by University of Manchester

Citation: 'Survival of the cutest' proves Darwin right (2010, January 20) retrieved 26 April 2024 from <https://phys.org/news/2010-01-survival-cutest-darwin.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.