

# Chemists create molecule with promising semiconductor properties

February 11 2010

---

A team of chemists from the University of New Hampshire has synthesized the first-ever stable derivative of nonacene, creating a compound that holds significant promise in the manufacture of flexible organic electronics such as large displays, solar cells and radio frequency identification tags. The team, led by professor of organic chemistry and materials science Glen Miller and including two UNH undergraduates, published their findings in January 2010 in the *Journal of the American Chemical Society*.

Nonacene, a compound with nine rings of [benzene](#) fused in a linear fashion, belongs to a class of organic semiconductors called acenes, widely recognized to be among the very best in terms of electronic performance. Yet they are highly unstable - they oxidize rapidly.

"We have known that nonacene would have very desirable [electronic properties](#), but it was just a tease, because you couldn't make it, you couldn't use it," says Miller, who has been working to prepare large acenes since 2007.

Miller and his team - research scientist Irvinder Kaur, postdoctoral fellow Mikael Jazdyk, and UNH seniors Polina Prusevich and Nathan Stein - built the large nonacene derivative from smaller pieces, the way one might build a Lego structure. The key to the molecule's stability is the addition of arylthio functional groups, stable collections of atoms that contain sulfur.

"The skeleton of the molecule is still there, but it's got additional functional groups attached to the skeleton," says Miller. This not only made the derivative stable, it also made it soluble, further enhancing its usefulness.

Nonacenes hold promise for further development of flexible organic electronic devices: computer displays so thin they could be rolled up or even worn. Miller notes that the military is interested in the technology that would allow for chameleon-like camouflage clothing that could change with the environment. [Organic solar cells](#) are another potential application of nonacenes; such cells could cut the cost of solar power by making use of inexpensive organic molecules rather than the expensive crystalline silicon that is used in most solar cells.

While Miller notes that his team's work is but a first step toward creating stable nonacene devices, "these compounds push all of these technologies further."

"Before our work, the thought of preparing flexible organic electronic devices using nonacene or a nonacene derivative was just a dream," he adds. "With this major step forward, we are much closer to realizing the dream."

**More information:** The complete paper, "Design, Synthesis, and Characterization of a Persistent Nonacene Derivative", is available at the *Journal of the American Chemical Society* Web site: [pubs.acs.org/doi/full/10.1021/ja9095472](https://pubs.acs.org/doi/full/10.1021/ja9095472)

Provided by University of New Hampshire

Citation: Chemists create molecule with promising semiconductor properties (2010, February

11) retrieved 10 April 2024 from <https://phys.org/news/2010-02-chemists-molecule-semiconductor-properties.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.