

Study Examines How Nanoparticles Affect Marine Organisms

February 22 2010



J. Evan Ward, professor of marine sciences, shows visitors live video of research on mussels at his lab during a tour of the Marine Sciences Building. Photo by Peter Morenus

(PhysOrg.com) -- When nanoparticles from consumer products leach into the ocean, they may harm oysters and mussels.

Manufactured nanomaterials can be found in such diverse applications as electronics, cosmetics, paints, and even medicines, but their effects on the environment remain largely unknown. In a new laboratory study, scientists have found that saltwater [oysters](#) and mussels take up and retain significant amounts of manufactured [nanoparticles](#) from [seawater](#) in clumps of so-called “marine snow.”

“Nanomaterials are being used in increasing amounts, and it’s likely

they're being released in increasing amounts into the environment, including the ocean," says Evan Ward, professor of marine sciences at UConn's Avery Point campus. "As we develop these technologies, we need to be cautious, we need to know where the particles are going, and we need to know how they affect [marine organisms](#)."

Nanoparticles are tiny versions of common materials that have a diameter of less than 100 [nanometers](#), or about four millionths of an inch. Their tininess gives them properties that normal-sized particles don't have: for example, their large surface area for their size makes them stronger, lighter, and more reflective, making them ideal for reinforcing metals, increasing the SPF in your sunscreen, and producing paint that improves your home's energy efficiency.

Some scientists, however, are concerned that these very properties could also make manufactured nanoparticles dangerous. When products break down in landfills, nanoparticles can wash away into soils, waterways, and the ocean, potentially creating hazards to animals and plants.

"Some materials that one would assume are safe can in fact cause damage to cells in their 'nano' form," Ward says.

Ward studies the environmental physiology of oysters, mussels, and their relatives, which use their gills as specialized filters to take up food from [ocean water](#). Although nanoparticles themselves are too small to be captured in large amounts, Ward's study focused on how the bivalves' feeding ecology affected their rate of uptake.

"In our study, we took into account how nanoparticles are likely to be delivered to the animals in the natural environment," he says. "We asked, 'What's the setting in which they will be exposed to these particles?'"

Materials rarely exist as individual particles in the ocean, says Ward;

instead, ocean currents bind up particles and sticky organic matter into aggregates that scientists call “marine snow.” These aggregates then sink to the bottom, where filter feeders like bivalves ingest them.

In their paper, published in *Marine Environmental Research*, Ward and coauthor Dustin Kach, a former UConn graduate student, used natural seawater to produce marine snow that contained fluorescently labeled polystyrene nanoparticles. They then exposed oysters and [mussels](#) collected from the Long Island Sound to this snow-filled seawater.

The researchers found that nanoparticles were taken up in much higher amounts when the bivalves were exposed to marine snow. But they also found that when filtered from marine snow, nanoparticles remained in the bivalves’ bodies for a much longer time than would be expected for non-nutritive materials: up to three days.

Ward suspects that the particles are being treated as food by the animals, and are being taken up into their digestive cells. This could be particularly dangerous, he says, since small nanoparticles can circumvent living cells’ natural defenses.

“Because of their high surface area, manufactured nanoparticles can strip off electrons from other compounds and create free radicals,” he says. “Particles like these can cause havoc in cells.”

Ward sees his work as a first step in understanding the potential issues associated with manufactured nanoparticles. He emphasizes that further work is needed to determine the amounts of manufactured nanoparticles in seawater and their levels of toxicity to living things.

“Right now there are few techniques to identify manufactured nanomaterials in the natural environment because they’re so darn small,” he says. “With these studies, we hope to demonstrate potential problems

to keep in step with the use of nanomaterials. Then when techniques are available to sample them in the wild, we'll be prepared to say whether or not we should be worried."

More information: [www.elsevier.com/wps/find/journaldescription#description](http://www.elsevier.com/wps/find/journaldescription.cjs?setq=nanotechnology&description#description)

Provided by University of Connecticut

Citation: Study Examines How Nanoparticles Affect Marine Organisms (2010, February 22)
retrieved 2 May 2024 from <https://phys.org/news/2010-02-nanoparticles-affect-marine.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--