


# A study reveals how respiratory tubes and capillaries form

February 9 2010

---



A tube-cell image. In red, the tube; in blue, the cell nuclei; in green, cell shape. (electron microscopy). Credit: Copyright IRB Barcelona. J. Casanova

Scientists at the Institute for Research in Biomedicine (IRB Barcelona) and CSIC report on the formation of the small-diameter respiratory tubes of the fly *Drosophila*, a process that resembles the development of the finest blood vessels, the capillaries, in mammals. These tubes or capillaries, formed by a single cell, connect the main tubes of the respiratory system with organs and tissues, thereby providing oxygen. The study has been published in the journal *Current Biology*.

Jordi Casanova, professor at CSIC who heads a developmental biology

group at IRB Barcelona, Spain, addresses the [gene expression](#) that leads to the formation of different parts of an organism. Revealing how respiratory tubes develop in *Drosophila* is relevant because the genes and mechanisms involved are very similar to those present in the mammalian respiratory and circulatory systems. "Our study explains the formation of the smallest tubes that develop to transport nutrients and oxygen to tissues", says Casanova.

Capillary formation is tightly linked to the development of tumours since these have the capacity to generate new capillaries to obtain more nutrients, in a process known as [angiogenesis](#). Indeed, one of the strategies under study to prevent tumour growth is to inhibit the formation of these supply routes.

## **Studying cell-to-tube transformation in vivo**

The tubes measure only a few microns in diameter and are formed inside a cell. The lengthening of a cell and the development of a tube occur simultaneously. "If a tissue or organ requires oxygen, it sends a signal to cells in the main tube. At that point, a single cell begins to lengthen towards its target, while the tube is developing inside. It is like putting a finger into a wrinkled glove: the material stretches as the finger slides in".

In order to follow the process in vivo, the researchers have filmed the development of [embryos](#) under a microscope. "Real time observation of embryo development has allowed us to see what happens in the entire organism and to understand the interaction with neighbouring tissue. After, using molecular biology techniques, we have identified the components that participate", explains the first author of the study, Louis Gervais, postdoctoral fellow in Casanova's group.

The signal that the tissue cells emit is called Fibroblast Growth Factor

(FGF) and the cell of the tube reacts by activating the Serum Response Factor (SRF), which is the same gene that is active in the capillaries of the circulatory system in mammals. "We have discovered how this genetic machinery acts inside the cell to ensure its reorganisation and cell-to-tube transformation." The researchers have identified the two main players: actin, a protein linked to cell movement, which is concentrated in the tip of the cell where it will begin to extend, and microtubules, very fine fibres that anchor on one side to actin and on the other to the opposite side of the cell.

The microtubule network is like rails along which the components to be incorporated travel both to the outer membrane of the cell and the inner membrane of the tube so that both grow, while actin acts as an explorer, indicating the direction of growth. Thus, the actin and microtubule conjunction organises the lengthening of the cell and tube growth towards the target tissue.

**More information:** "In vivo coupling of cell elongation and lumen formation in a single cell" Louis Gervais and Jordi Casanova. Current Biology 2010, [DOI 10.1016/j.cub.2009.12.043](https://doi.org/10.1016/j.cub.2009.12.043)

Provided by Institute for Research in Biomedicine

Citation: A study reveals how respiratory tubes and capillaries form (2010, February 9) retrieved 20 April 2024 from <https://phys.org/news/2010-02-reveals-respiratory-tubes-capillaries.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--