


## Project to make car fuel from thin air

March 30 2010



Researchers from the South West are working on a £1.4 million project that could take carbon dioxide from the air and turn it into car fuel.

Scientists and engineers from the University of the West of England are collaborating with colleagues from the University of Bath, who are leading the research, and colleagues from the University of Bristol.

The project aims to develop porous materials that can absorb the gas that causes global warming and convert it into chemicals that can be used to make car fuel or plastics in a process powered by renewable solar energy.

The researchers hope that in the future the porous materials could be used to line factory chimneys to take <u>carbon dioxide</u> pollutants from the air, reducing the effects of climate change.



Dr Frank Marken, Senior Lecturer in Chemistry (University of Bath) said: "Current processes rely on using separate technology to capture and utilise the CO2, which makes the process very inefficient. By combining the processes the efficiency can be improved and the energy required to drive the CO2 reduction is minimised.

"It will be a massive challenge but we have a strong inter-disciplinary team that includes chemists, <u>chemical engineers</u>, biologists, and lifecycle analysts."

Dr Petra Cameron, RCUK Fellow from the Department of Chemistry (University of Bath), said: "We hope that the use of renewable energy to recycle CO2 will be an effective way to reduce the amount of CO2 in the atmosphere."

The Bath-Bristol collaboration brings together scientists from a range of disciplines, including researchers from Bath's Institute for Sustainable Energy and the Environment (I-SEE), the School of Chemistry at the University of Bristol, and the Bristol Robotics Laboratory (BRL) and School of Life Sciences at the University of the West of England.

Dr Ioannis Ieropoulos, (BRL), said, "One of great advantages of this project is that it will exploit the natural abilities of microorganisms to reduce CO2 in the atmosphere and at the same time produce electricity or hydrogen, as required."

Dr David Fermin from the University of Bristol said: "Currently, there are no large-scale technologies available for capturing and processing CO2 from air. The facts are that CO2 is rather diluted in the atmosphere and its chemical reactivity is very low. By combining clever material design with heterogeneous catalysis, electrocatalysis and biocatalysis, we aim at developing an effective carbon neutral technology."



## Provided by University of the West of England

Citation: Project to make car fuel from thin air (2010, March 30) retrieved 19 April 2024 from <a href="https://phys.org/news/2010-03-car-fuel-thin-air.html">https://phys.org/news/2010-03-car-fuel-thin-air.html</a>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.