

Orange corn holds promise for reducing blindness, child death

March 29 2010



Zambian children eat a biofortified high-carotenoid maize meal as part of a feeding trial and nutritional study. Credit: Purdue University photo/Todd Rocheford

Decreasing or increasing the function of a newly discovered gene in corn may increase vitamin A content and have significant implications for reducing childhood blindness and mortality rates, according to a Purdue University-led study.

Torbert Rocheford, the Patterson Endowed Chair of Translational Genomics and professor of [agronomy](#) at Purdue, led the study that made findings in yellow and particularly orange corn, a type he said likely originated in the Caribbean and is popular in some Asian and South American countries as well as in northern Italy. The orange color comes from relatively higher levels of carotenoids, one of which is beta-carotene. Humans convert beta-carotene, which also is abundant in

carrots, into [vitamin A](#) during digestion.

Rocheford is using simple visual selection for darker orange color combined with more advanced molecular natural diversity screening techniques to create better lines of the orange corn.

"We're sort of turbocharging corn with desirable natural variation to make it darker and more nutritious," Rocheford said.

Between 250,000 and 500,000 children - mostly in Africa and Southeast Asia - go blind each year because of vitamin A deficiency, according to the World Health Organization. Half of those children will die within a year of going blind. Rocheford said increasing beta-carotene levels in cereal grains, such as corn, is an economical approach to addressing these deficiencies in developing countries.

Rocheford said the gene beta-carotene hydroxylase 1 (*crtR-B1*) alters beta-carotene in corn in a way that reduces pro-vitamin A activity. Through a process known as hydroxylation, beta-carotene is converted into other carotenoids that can cut the amount of pro-vitamin A that is created through digestion in half, or eliminate it altogether. Reducing the function of the *crtR-B1* gene would reduce hydroxylation considerably.

"Because of this, selecting a form of the gene that does not have much activity causes beta-carotene to build up," said Rocheford, whose findings were published in the journal *Nature Genetics*. "We're have started to move the favorable 'weak' allele into breeding materials."



The intense orange color of high pro-vitamin A maize is caused by high carotenoid content. Credit: Purdue University photo/Debra J. Skinner

Conversely, "strong alleles" increasing crtR-B1 function boost the hydroxylation process, which creates more zeaxanthin. Zeaxanthin is a micronutrient that could protect against macular degeneration, the leading cause of blindness in people over 55 in Western industrialized nations, according to the American Macular Degeneration Foundation.

Zeaxanthin makes up 75 percent of the central macula in human eyes, according to the AMDF, and data show that macular pigment increases through dietary supplements.

Rochefford said the findings are encouraging for addressing problems in both developed and developing nations.

"It's like a designer gene. We can select one version for the U.S. population to increase zeaxanthin and a different version to increase beta-carotene for the needs of the developing world," he said.

Rocheford's research will continue to look for ways to improve the nutrient profile of orange corn through simple visual selection and more advanced DNA and compound analyses. He said further efforts would focus on other genes that also hold promise to increase pro-vitamin A in corn.

Another challenge, he admits, would be introducing a new variety of corn to consumers.

"The U.S. only grows yellow and white corn, and Africa largely grows white corn," Rocheford said. "But parts of the world - some parts of Asia and South America - actually prefer orange corn."

Rocheford recently returned from a meeting in Zambia and saw an initial indication of consumer acceptance of orange corn there. He also stopped in northern Italy where orange corn is used for polenta, a sign that acceptance is possible in the developed world as well.

Provided by Purdue University

Citation: Orange corn holds promise for reducing blindness, child death (2010, March 29) retrieved 27 April 2024 from <https://phys.org/news/2010-03-orange-corn-child-death.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.