


# Berkeley Researchers Light Up White OLEDs

April 6 2010, by Aditi Risbud

---



Biwu Ma, a staff scientist with the Molecular Foundry, was part of a research team that found a new way to process white OLEDs for solid state lighting. (Photo by Roy Kaltschmidt, Berkeley Lab Public Affairs)

(PhysOrg.com) -- Light-emitting diodes, which employ semiconductors to produce artificial light, could reduce electricity consumption and lighten the impact of greenhouse gas emissions. However, moving this technology beyond traffic signals and laser pointers to illumination for office buildings and homes -- the single largest use of electricity -- requires materials that emit bright, white light cheaply and efficiently. White light is the mix of all the colors, or wavelengths, in the visible spectrum.

Organic light-emitting diodes (OLEDs), based on organic and/or polymer [semiconductor materials](#), are promising candidates for general lighting applications, as they can cover large-area displays or panels using low-cost processing techniques. Indeed, single-color OLED displays are already available commercially. A mix of red-, green- and blue-emitting materials can be used to generate white light, but these bands of color often interact with one another, degrading device performance and reducing color quality.

Using polymer nanoparticles to house light-emitting ‘inks’, scientists at the Molecular Foundry, a U.S. Department of Energy nanoscience center located at Berkeley Lab, and the University of California, Berkeley, have made a thin film OLED using iridium-based guest molecules to emit various colors of visible light. The polymer nanoparticle surrounding a guest light-emitter serves as a ‘do not disturb’ sign, isolating guest molecules from one another. Each guest can then emit light without pesky interactions with neighboring nanoparticles, resulting in white luminescence.

“This simple and bright approach to achieving nanoscale site isolation of phosphors opens a new door for facile processing of white OLEDs for [solid state lighting](#),” said Biwu Ma, a staff scientist with the Molecular Foundry’s Organic Nanostructures Facility who contributed to this study. With this proof-of-concept device under their belts, Ma and his colleagues plan to vary the ratio of each color nanoparticle in the OLED to enhance efficiency and brightness. [White light](#) from OLEDs can be adjusted from cooler to warmer whites, making these materials easy to use in office or home environments. Buildings account for more than 40 percent of carbon emissions in the United States, so replacing even a fraction of conventional lighting with OLEDs could result in a significant reduction in electricity use.

A paper reporting this research titled, “Site isolation of emitters within

cross-linked polymer nanoparticles for white electroluminescence,” appears in the journal *Nano Letters*.

Provided by Lawrence Berkeley National Laboratory

Citation: Berkeley Researchers Light Up White OLEDs (2010, April 6) retrieved 24 July 2024 from <https://phys.org/news/2010-04-berkeley-white-oleds.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.