


## NIST Detector Counts Photons With 99 Percent Efficiency

April 14 2010



NIST physicist Sae Woo Nam works with refrigeration equipment used to cool photon detectors to nearly absolute zero. His team's efforts have created devices that can detect single photons with 99 percent efficiency. Credit: NIST

(PhysOrg.com) -- Scientists at the National Institute of Standards and Technology have developed the world's most efficient single photon detector, which is able to count individual particles of light traveling through fiber optic cables with roughly 99 percent efficiency. The team's efforts could bring improvements to secure electronic communication, advanced quantum computation and the measurement of optical power.

Using essentially the same technology that permitted them to achieve 88 percent detection efficiency five years ago, the team has enhanced its



ability to detect photons largely by improving the alignment of the detector and the optical fibers that guide photons into it. The basic principle of the detector is to use a superconductor as an ultra-sensitive thermometer. Each individual <u>photon</u> hitting the detector raises the temperature -- and increases <u>electrical resistance</u> -- by a minute amount, which the instrument registers as the presence of a photon.

According to team member Sae Woo Nam, the advantage of this type of single <u>photon detector</u> is that the new detector design not only measures lower levels of light than have ever been possible, but does so with great accuracy.

"When these detectors indicate they've spotted a photon, they're trustworthy. They don't give false positives," says Nam, a physicist with NIST's Optoelectronics division. "Other types of detectors have really high gain so they can measure a single photon, but their noise levels are such that occasionally a noise glitch is mistakenly identified as a photon. This causes an error in the measurement. Reducing these errors is really important for those who are doing calculations or communications."

The ability to count individual photons is valuable to designers of certain types of quantum computers as well as scientists engaged in quantum optical experiments, which concern exotic states of light that cannot be described by <u>classical physics</u>. But one of the most promising potential applications of a high-efficiency photon detector is a way to secure long-distance data transmission against unwanted interception. A detector that could recognize that a photon forming part of a transmission was missing would be a substantial defense against information theft.

The team has optimized the detection for 810 nanometers—an infrared wavelength—and it still has high efficiency at other wavelengths that are interesting for fiber optic communications, as well as the quantum optics community. Ironically, the detector is so efficient that it outstrips current



technology's ability to determine its precise efficiency.

"We can't be sure from direct measurement that we've achieved 99 percent efficiency because the metrology is not in place to determine how close we are—there's no well-established technique," Nam says. "What is great about our latest progress is that we measure nearly the same detection efficiency for every device we build, package and test. It's the reproducibility that gives us confidence."

The team is currently working to develop evaluation techniques that can measure up to the detector's abilities, and Nam says the team's creation could also help evaluate other light-gathering devices.

"NIST offers a standardized service for measuring the <u>efficiency</u> of photodetectors and optical power meters," he says. "We're trying to develop a calibration technique that extends to ultra-low levels of light. It should be valuable for anyone looking at single photons."

**More information:** A.E. Lita, B. Calkins, L.A. Pellouchoud, A.J. Miller and S. Nam. Superconducting transition-edge sensors optimized for high-efficiency photon-number resolving detectors. Presented at the SPIE Symposium on SPIE Defense, Security, and Sensing, Orlando World Center Marriott Resort and Convention Center, Crystal J1 Ballroom, 3 p.m. April 7, 2010.

Provided by National Institute of Standards and Technology

Citation: NIST Detector Counts Photons With 99 Percent Efficiency (2010, April 14) retrieved 8 April 2024 from <a href="https://phys.org/news/2010-04-nist-detector-photons-percent-efficiency.html">https://phys.org/news/2010-04-nist-detector-photons-percent-efficiency.html</a>

This document is subject to copyright. Apart from any fair dealing for the purpose of private



study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.