


Envisat monitoring changes in oil spill

May 3 2010



Envisat optical image of the oil spill in the Gulf of Mexico was acquired from its Medium Resolution Imaging Spectrometer (MERIS) on May 2, 2010, at 16:10 UTC (Sunday morning local time). Credit: ESA





In this radar image, acquired from Envisat's Advanced Synthetic Aperture Radar (ASAR) on May 2, 2010, 03:45 UTC (Saturday night local time), the oil spill is visible due east of the Delta National Wildlife Refuge extending into the Gulf of Mexico. The white dots are oil rigs and ships. Radar is especially suited for detecting oil spills because it works day and night, can see through clouds (unlike optical sensors) and is particularly sensitive to the smoother water surface caused by the oil. Credit: ESA

ESA's Envisat has captured the changes in direction of the rapidlygrowing oil spill in the Gulf of Mexico as strong winds over the weekend pushed it around and hampered clean-up efforts.

In these latest images, the oil spill is visible due east of the Delta National Wildlife Refuge extending into the Gulf. The white dots are oil rigs and ships.

Wind can easily spread oil on the water, with the course determined by the wind's direction and speed. Following the explosion of the drilling rig on 22 April that produced the oil leak, the winds were blowing westnorthwest. On Saturday winds were blowing from the southeast, pushing the slick toward Louisiana.

Envisat acquired these images from its Advanced <u>Synthetic Aperture</u> <u>Radar</u> (ASAR) and Medium Resolution Imaging Spectrometer (MERIS) on 2 May 03:45 UTC (Saturday night local time) and on 2 May 16:10 UTC (Sunday morning local time), respectively.

Radar is especially suited for detecting <u>oil spills</u> because it works day and night, can see through clouds (unlike optical sensors) and is particularly sensitive to the smoother water surface caused by the oil. Depending on the situation, oil is harder to detect in optical satellite observations because the surface changes are not as pronounced.



To see the latest MERIS images of the oil spill, visit our MIRAVI website. MIRAVI, which is free and requires no registration, generates images from the raw data collected by MERIS and provides them online quickly after acquisition.

The next ASAR and MERIS images of the oil spill are scheduled for 5 May, with the images being made available about two hours later.

Envisat images are being provided to US authorities immediately after they are acquired through the International Charter Space and Major Disasters. On 22 April the US Geological Survey, on behalf of the US Coast Guard, requested the Charter to provide rapid access to radar and optical satellite imagery of the oil slick.

Since then, Envisat MERIS and ASAR data have been provided in nearreal time and have been used by the US National Oceanic and Atmospheric Administration.

Provided by European Space Agency

Citation: Envisat monitoring changes in oil spill (2010, May 3) retrieved 25 April 2024 from <u>https://phys.org/news/2010-05-envisat-oil.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.