


First-ever high-resolution observations of DNA unfolding

May 20 2010



From left to right and up to down, DNA structure movements influence the mechanism by which DNA starts to unfold. Credit: © A. Pérez. IRB Barcelona/BSC

The scientists Modesto Orozco, group leader of the Molecular Modelling and Bioinformatics Group at IRB Barcelona, Full Professor of Biochemistry and Molecular Biology at the University of Barcelona and director of the Life Sciences Dept. at the BSC, and Alberto Pérez, "Juan de la Cierva" researcher at BSC, currently at the University of California, San Francisco, (U.S.) publish their findings in a leading international chemistry journal, *Angewandte Chemie*.

Alberto Pérez explains that "many of the functions of [DNA](#) come about when its two strands separate, when, for example, it has to replicate during cell division or in repair processes. With this study, we propose a mechanism for this process, which in turn, will lead to new experiments for its final corroboration".

The researchers have studied a small DNA fragment, of 12 base pairs (the human genomes has about 3,000 million base pairs), and have obtained 10 million structural snapshots of how DNA unfolds. In this process they have revealed the two main ways by which the natural folded structure move to an unfolded state. "This project", explains Prof. Orozco, "is part of a greater objective of the lab: to attempt to understand the changes that the DNA structure undergoes in biological processes that occur within the cell, such as the expression and repression of genes or DNA replication and transcription."

DNA holds the genetic information of living organisms and its double helical structure was discovered more than 50 years ago by Watson and Crick. DNA and the proteins that modify it are the most important therapeutic targets in several pathologies, and particularly in cancer. The work performed at IRB Barcelona provides a detailed view of the mechanism through which one of the most crucial processes in DNA occurs, and opens up new prospects regarding the connection between physical properties, functionality and pharmacological effect. The final objective is to achieve that new breakthroughs turn DNA into a universal pharmacological target.

More information: Real-time Atomistic Description of DNA Unfolding. Alberto Pérez and Modesto Orozco. *Angewandte Chemie* (2010). [doi:10.1002/ange.201000593](https://doi.org/10.1002/ange.201000593)

Provided by IRB Barcelona

Citation: First-ever high-resolution observations of DNA unfolding (2010, May 20) retrieved 2 May 2024 from <https://phys.org/news/2010-05-first-ever-high-resolution-dna-unfolding.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.