

Scientists discover megalodon shark nursery

May 11 2010, by Vilma Jarvinen



In this photo taken May 6, 2010, University of Florida vertebrate paleontology graduate student Dana Ehret compares the size of a juvenile megalodon tooth from the Gatun Formation, Panama, left, with an adult megalodon tooth from Florida. Ehret is a co-author of a National Science Foundation-funded study appearing in the journal PLoS One describing the first Neotropical megalodon shark nursery.

(PhysOrg.com) -- University of Florida researchers have discovered a 10-million-year-old Neotropical nursery area for the extinct megalodon shark in Panama, providing fossil evidence the fish used these areas to protect their young for millions of years.

Appearing in this week's edition of the journal [PLoS ONE](#), the article is the first thorough study of megalodon juveniles and gives scientists a better picture of shark behavior.

“The study provides evidence of megalodon behavior in the fossil

record,” said lead author Catalina Pimiento, who just completed a master’s degree in zoology from UF and worked in the Florida Museum of Natural History’s [vertebrate paleontology](#) division. “Behavior doesn’t fossilize, but we were able to interpret ancient protection strategies used by extinct sharks based on the fossil record.”

Previously suggested fossil shark paleo-nursery areas, the Paleocene Williamsburg Formation and late Oligocene Chandler Bridge Formation of South Carolina, were based only on the anecdotal presence of juvenile teeth accompanied by marine mammals.

“Neither of the collections from previously suggested nursery grounds has been as rigorously analyzed as the specimens in this study, which better supports the presence of this paleo-nursery area,” Pimiento said.

In the current study, funded by the National Science Foundation, researchers collected 400 fossil shark teeth between 2007 and 2009 from the shallow marine Gatun Formation, which connected the Pacific Ocean and the Caribbean Sea during the late Miocene Epoch in Panama. Most of the 28 *Carcharocles megalodon* specimens were surprisingly small, Pimiento said, and analysis determined the size did not relate to tooth position in the jaw or the size of the species during the late Miocene.

“Our study suggests the specimens represent mostly juveniles with lengths between 2 and 10.5 meters,” Pimiento said.

Michael Gottfried, associate professor and curator of vertebrate paleontology at Michigan State University Museum, helped review the *PLoS ONE* article. His method of determining the skeletal anatomy of megalodon sharks based on comparisons with the great white shark was used in this study. Though Gottfried said he did not completely agree with all of the study’s conclusions, he believes the findings are

interesting.



In this photo taken May 6, 2010, the lateral cusplets shown in this close-up of a juvenile megalodon shark tooth from the Gatun Formation, Panama, are characteristic of older adult *Carcharocles* species, but only found occasionally in juveniles. The tooth was analyzed at the Florida Museum of Natural History on the University of Florida campus as part of a National Science Foundation-funded study appearing in the journal PLoS One describing the first Neotropical megalodon shark nursery.

“Shark nursery areas are very poorly known, both for living and fossil species,” Gottfried said. “If the teeth from Panama described by Catalina and her collaborators do indeed come from a nursery area for the giant megalodon shark, they have the potential to provide a lot of interesting information on the paleobiology of this enormous, but still very enigmatic, fossil species.”

Nursery areas for sharks have ample food resources and serve as

protection for juveniles and neonates from predators. Some scientists argue megalodon did not need nursery areas to protect their young because it was the largest shark that ever lived. But researchers discovered teeth in the study area from juvenile megalodon sharks as small as 2 meters long. Other studies also have confirmed present-day large sharks such as the tiger shark, great hammerhead and the white shark use nursery areas.

Other studies have shown white sharks, which belong to the same order as megalodon, seasonally return to the eastern Pacific and other coastal “hot spots” for feeding, foraging and mating. UF researchers considered the hypothesis that megalodon [sharks](#) used the grounds for feeding and reproduction rather than as a protective nursery area, but rejected the possibility based on the high number of juveniles, presence of neonates, shallow depth of the area and the scarcity of large mammals.

“This study of the megalodon teeth from Panama and its paleobiologic implications demonstrates the potential information that other fossil shark faunas can give us, including survival strategies, feeding habits and life histories,” said Dana Ehret, second author and vertebrate paleontology graduate student at the Florida Museum.

Other authors are Bruce MacFadden, Florida Museum of Natural History vertebrate paleontology curator, and Gordon Hubbell of Jaws International.

Most of the teeth collected are located in the Florida Museum of Natural History, which also houses the Florida Program for Shark Research and the International Shark Attack File.

Provided by University of Florida

Citation: Scientists discover megalodon shark nursery (2010, May 11) retrieved 9 April 2024

from <https://phys.org/news/2010-05-scientists-megalodon-shark-nursery.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.