


Webb Telescope's NIRCam engineering test unit arrives at NASA Goddard

May 25 2010



The NIRCam unit is wrapped up at Lockheed Martin, Palo Alto, Calif., for its shipment to NASA Goddard. Credit: Lockheed Martin

A test unit for the "NIRCam" instrument that will fly aboard the James Webb Space Telescope has arrived at NASA's Goddard Space Flight Center in Greenbelt, Md. and has been placed in a clean room for a year's worth of tests.

The Near Infrared Camera (NIRCam) will be the primary imager on the Webb telescope and will measure light in the spectrum in the wavelength range of 0.6 to 5 microns. The unit that arrived at Goddard is actually an engineering test unit, and not the actual NIRCam that will fly aboard the Webb telescope.

The Near Infrared Camera (NIRCam) is being built by a team at University of Arizona (UoA) and Lockheed Martin's Advanced

Technology Center, Palo Alto, Calif. and led by Prof. Marcia Rieke at UoA. Lockheed Martin built the NIRCcam Engineering test unit (ETU). An ETU is basically a replica of the flight unit that can perform certain flight functions which are tested at NASA Goddard before flight delivery.

At NASA Goddard, the NIRCcam will undergo one year's worth of testing to verify instrument interfaces and integration and test processes. The ETU will be used to practice installation into the Integrated Science Instrument Module (ISIM) structure. The ISIM is the heart of the Webb telescope, the unit that will house the four main Webb instruments. Measurements will also be made of the precise location of the NIRCcam instrument within ISIM to later aid in alignment of the flight model. The NIRCcam is a science instrument but also an Optical Telescope Element wavefront sensor, which provides something similar to instant LASIK vision correction.

The actual flight unit is currently already being built, and the outcome of the tests may lead to a change in handling procedures of the flight NIRCcam, but not a change in the flight construction.

The actual NIRCcam will study infrared light. Because the universe is expanding, light from the earliest galaxies has been stretched, or "redshifted," from visible light into infrared light. Humans can't see infrared light, but can perceive it as heat. NIRCcam will be able to visualize [infrared light](#), making it essential to examining the early phases of star and galaxy formation, and studying the shapes and colors of distant galaxies. NIRCcam will also help astronomers learn the age of stars in nearby galaxies.

"The NIRCcam ETU includes one fully functional optical channel and was used to demonstrate the hardware to be used in aligning the Webb telescope's mirror segments," said Marcia Rieke, Professor of

Astronomy at the University of Arizona, and principal investigator for the near-infrared camera (NIRCam).

The [James Webb Space Telescope](#) will detect the first light emitting galaxies and star clusters to form in the Universe after the Big Bang. The NIRCam design is optimized for finding these "First Light" sources. The camera also includes features that will make it a wonderful tool for studying star formation in the Milky Way Galaxy and for discovering and characterizing planets around other stars.

Diane Yun NIRCam Instrument Manager at NASA Goddard, "A lot of hard work went into developing and testing the NIRCam ETU. We are excited to have it here at Goddard for ISIM testing. This brings us one step closer to achieving the science goals of NIRCam and the Webb telescope."

The actual NIRCam flight instrument is going to arrive at NASA Goddard in 2011 for testing and incorporation into the Webb telescope.

Provided by NASA's Goddard Space Flight Center

Citation: Webb Telescope's NIRCam engineering test unit arrives at NASA Goddard (2010, May 25) retrieved 22 May 2024 from

<https://phys.org/news/2010-05-webb-telescope-nircam-nasa-goddard.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--