

Flower power: Marking winners and losers

June 14 2010

A new study reveals how conflict resolution works on the microscopic scale - a protein called Flower marks the weaker cells for elimination in favor of their fitter neighbors. The research, published by Cell Press in the June 15th issue of the journal *Developmental Cell*, furthers our understanding of a developmental process of "cell competition" and may provide some insight into pathological conditions that involve imbalances in cell fitness, such as cancer.

During development, a cell compares its metabolic rates with neighboring [cells](#) and, as a result, the best adapted cells "win" and proliferate at the expense of neighbors that "lose" and are eliminated. This process of cell competition was first described in the fruit fly, in larval structures called imaginal discs that give rise to adult body parts, such as the wings. Cell competition may serve as a way to ensure that only the fittest cells contribute to the growing organism. However, all the known regulators of cell competition are also known to affect cell growth and survival in general, so it has been hard to determine what benefit animals derive from this particular type of cellular melee.

"We were interested in investigating how cells of fly wing imaginal discs distinguish winners from losers during cell competition," explains senior study author, Dr. Eduardo Moreno from the Spanish National Cancer Center in Madrid. "We took a genomic approach and combined it with functional assays in order to identify genes expressed early during cell competition."

Dr. Moreno's team identified several factors involved in the process,

including Flower, a protein found in the [cell membrane](#) of multicellular animals. They show that three different forms of the Flower protein act as cellular "tags" that weigh in on win/lose decisions. A specific Flower tag not only labels cells as losers but triggers their elimination by apoptosis, a type of genetically programmed [cell death](#). In fact, Flower is required for cell competition to occur, but does not affect general cell growth and survival.

"Taken together, our results suggest that Flower isoforms generate the scaffold that is required and sufficient to label cells as winners and losers during competitive interactions among cells," concludes Dr. Moreno.

"The extracellular code composed by the Flower isoforms may have biomedical implications beyond cell competition because imbalances in cell fitness also appear during aging, cancer formation and metastasis." Indeed, the specific role for Flower in cell competition makes it a unique focus for future study to understand the function of cell competition in isolation from other signals that control tissue growth.

More information: Rhiner et al.: "Flower Forms an Extracellular Code that Reveals the Fitness of a Cell to its Neighbors in *Drosophila*." Publishing in *Developmental Cell* 18, 985-998, June 15, 2010. [DOI 10.1016/j.devcel.2010.05.010](#)

Provided by Cell Press

Citation: Flower power: Marking winners and losers (2010, June 14) retrieved 2 May 2024 from <https://phys.org/news/2010-06-power-winners-losers.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
