

# Scientist links increase in greenhouse gases to changes in ocean currents

June 18 2010

---

By examining 800,000-year-old polar ice, scientists increasingly are learning how the climate has changed since the last ice melt and that carbon dioxide has become more abundant in the Earth's atmosphere.

For two decades, French scientist Jérôme Chappellaz has been examining ice cores collected from deep inside the [polar ice](#) caps of Greenland and Antarctica. His studies on the interconnecting air spaces of old snow -- or firn air -- in the ice cores show that the roughly 40 percent increase of carbon dioxide in the [atmosphere](#) since the Earth's last deglaciation can be attributed in large part to changes in the circulation and biological activity of the oceanic waters surrounding Antarctica.

Chappellaz presented his findings today in Knoxville, Tenn. during the Goldschmidt Conference, an international gathering of several thousand geochemists who converge annually to share their research on [Earth](#), energy and the environment. The event, hosted by the University of Tennessee, Knoxville, and Oak Ridge National Laboratory, is taking place June 13-18.

By measuring the carbon isotopes in the firn air, scientists can pinpoint the source of atmospheric carbon during the millennia. Because living organisms at the surface of the oceans tend to take up the lighter of the carbon isotopes,  $^{13}\text{C}$ , and this isotope is then released when the organisms decay, scientists know the higher concentration of  $^{13}\text{C}$  is originating from the oceans.

Normally, the organisms die, sink to the ocean depths, and decompose, releasing carbon that remains stored in the cold, deep waters for centuries. But a growing concentration of the isotope  $^{13}\text{C}$  in the air during the last deglaciation indicates that this "old" carbon from decomposition was released from the southern polar waters, where the Antarctic Circumpolar Current transports more water than any other current in the world. Here, oceanic circulation is increasing in intensity and the deep water is releasing carbon dioxide at the surface.

For two decades, Chappellaz has examined polar ice cores to decipher how the primary greenhouse gases -- [carbon dioxide](#), methane and nitrous oxide -- have changed in concentrations and ratios since ancient times and what has caused those changes. He notably showed for the first time the tight link existing between atmospheric methane and global [climate](#) at glacial-interglacial time scales. Chappellaz is research director at the Laboratoire de Glaciologie et Geophysique de Environnement in Grenoble, France.

Provided by University of Tennessee at Knoxville

Citation: Scientist links increase in greenhouse gases to changes in ocean currents (2010, June 18) retrieved 25 June 2024 from <https://phys.org/news/2010-06-scientist-links-greenhouse-gases-ocean.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.