

# Scientists provide an atomic view of the destruction caused by radiation in extreme environments

July 16 2010

---



(PhysOrg.com) -- In extreme environments, some materials quickly recover from being hit by energetic ions, while other materials are permanently scarred, according to scientists at Pacific Northwest National Laboratory, the University of Michigan, and the Interdisciplinary Research Centre Ions Lasers in France. The recent article, which integrated independent experiments and simulations, showed step by step how the materials respond. This research graced the cover of the July 2010 issue of the *Journal of Materials Research*.

Communication satellites, nuclear reactors, nuclear waste disposal, and other technologies need resilient materials that can withstand radiation in environments characterized by extreme heat, cold, or stress. To determine how materials will behave and design better alternatives, researchers need the rare insights into the atomic-level behavior provided by this study. In addition, this research has geological applications. Minerals are often dated based on the tracks left by the heavy swift [ions](#). A better understanding of how these tracks evolve can lead to more accurate dating information.

The researchers began with gadolinium titanate and gadolinium zirconate. Each material was bombarded with fast-moving [gold ions](#) using a leading-edge ion accelerator in Darmstadt, Germany. This work provided new information on the beginning and end states of the materials after they were exposed to the ions.

The team wanted to know more. Like crime scene investigators, they could see the damage and wanted to know how it happened. Dr. Ram Devanathan and Dr. William Weber at Pacific Northwest National Laboratory took on that challenge. They created a series of simulations of the atomic structure before and after the ions collided. These simulations were run on EMSL's supercomputer.

"The capability to create these highly accurate computer models of extreme [radiation damage](#) is rare," said Devanathan.

The team found that fast-moving [gold atoms](#) produce a molten cylinder in gadolinium titanate and create a track of disrupted atoms about 8 nanometers in diameter. After 6 picoseconds or 6 trillionths of a second, the molten core begins to shrink and the atoms at the edges begin to hop back into their regular, crystalline pattern. After about 50 picoseconds, a shell of ordered atoms forms around area highly damaged track.

In the gadolinium zirconate, the ions barrage creates a small melted area, just as with the titanate. However, after about 13 picoseconds, the melt begins to shrink and reordering of atoms on the edges is apparent. After about 50 picoseconds, the atoms have reordered themselves, creating an area with few defects. "Essentially, the material heals itself," said Devanathan.

This theoretical research reveals the fundamental science that dictates how different materials respond to radiation.

Devanathan and his colleagues will use their understanding of swift, heavy ions to fabricate and test novel nano-structured [materials](#) for use in [extreme environments](#).

**More information:** Zhang J, M Lang, RC Ewing, R Devanathan, WJ Weber, and M Toulemonde. 2010. "Nanoscale phase transitions under extreme conditions within an ion track." Journal of Materials Research 25(7):1334-1351. [DOI: 10.1557/JMR.2010.0180](https://doi.org/10.1557/JMR.2010.0180)

Provided by Pacific Northwest National Laboratory

Citation: Scientists provide an atomic view of the destruction caused by radiation in extreme environments (2010, July 16) retrieved 2 May 2024 from <https://phys.org/news/2010-07-scientists-atomic-view-destruction-extreme.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--