

## Is biochar the answer for ag?

August 2 2010

Scientists demonstrate that biochar, a type charcoal applied to soils in order to capture and store carbon, can reduce emissions of nitrous oxide, a potent greenhouse gas, and inorganic nitrogen runoff from agriculture settings. The finding will help develop strategies and technologies to reduce soil nitrous oxide emissions and reduce agriculture's influence on climate change.

A research team led by Bhupinder Pal Singh from Industry and Investment New South Wales and Balwant Singh from the University of Sydney, tested the effects of four types of biochar on <u>nitrous oxide</u> emission and nitrogen leaching from two different <u>soil</u> varieties. Their results are reported in the July-August 2010 <u>Journal of Environmental</u> <u>Quality</u>, published by the American Society of Agronomy, the Crop Science Society of America, and the Soil Science Society of America.

The study revealed for the first time that interactions between biochar and soil that occur over time are important when assessing the influence of biochar on nitrogen losses from soil. The scientists subjected soils samples to three wetting-drying cycles, to simulate a range of soil moistures during the five-month study period, and measured nitrous oxide emissions and nitrogen runoff.

Initially, biochar application produced inconsistent effects. Several early samples produced greater nitrous oxide emissions and nitrate leaching than the control samples.

However, during the third wetting-drying cycle, four months after



biochar application, all biochars reduced nitrous oxide emissions by up to 73%, and reduced ammonium leaching by up to 94%. The researchers suggest that reductions in nitrous oxide emissions and nitrogen leaching over time were due to "ageing" of the biochars in soil.

"The impacts of biochars on nitrous oxide emissions from soil are of interest because even small reductions in nitrous oxide emissions can considerably enhance the greenhouse mitigation value of biochar, which is already proven to be a highly stable carbon pool in the soil environment," according to senior author Bhupinder Pal Singh. "This research highlights that impacts of biochar on nitrogen transformations in soil may change over time and hence stresses the need for long-term studies to assess biochar's potential to reduce <u>nitrogen</u> losses from soil."

In addition to the three wet-dry cycles, the soil samples also received glucose and nutrient applications to supply of carbon and inorganic nutrients for optimal microbial activity. The research team tested biochar from two different sources, wood waste and poultry litter. Biochar is made when organic material is burned at high temperatures in the absence of oxygen.

Research is on-going at Industry and Investment NSW to investigate the causes of the reductions in nitrous oxide emissions by biochars, especially under field conditions, and to determine optimal rate and timing of biochar and fertiliser applications to agricultural soils to maximize the greenhouse mitigation value of biochar.

**More information:** View the abstract at <u>www.agronomy.org/publications/ ... /abstracts/39/4/1224</u>

Provided by American Society of Agronomy



Citation: Is biochar the answer for ag? (2010, August 2) retrieved 3 May 2024 from <u>https://phys.org/news/2010-08-biochar-ag.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.