

LEDs illuminate eye for ocular disease screening

August 31 2010

A new imaging system using six different wavelengths to illuminate the interior of the eyeball (ocular fundus) may pave the way for doctors to easily screen patients for common diseases of the eye, such as agerelated macular degeneration and diabetic retinopathy. The system is described in the journal *Review of Scientific Instruments*.

Currently, when optometrists and ophthalmogists visualize the ocular fundus, they typically take snapshot images of the <u>eye</u> in two or three wavelengths (red, green and blue), which can reveal some visuallyapparent abnormalities. But an added dimension made possible with the imaging system described by Nicholas L. Everdell of University College London allows doctors to distinguish between the different light absorbing characteristics of biological molecules called chromophores.

According to the paper's coauthor Iain Styles of the University of Birmingham, five of these light-absorbing compounds are prevalent in the eye: retinal hemoglobins, choroidal hemoglobins, choroidal melanin, RPE (retinal pigment epithelium) melanin, and macular pigment. In a separate paper (*Medical Image Analysis* 10 (2006) 578), Styles said that each of these has been shown to give rise to distinct variations in tissue coloration that can be discriminated in multispectral images.

In the new work, Everdell and Styles describe a device combining a highsensitivity CCD camera with wavelength-specific illumination from LEDs (light-emitting diodes) that provides multispectral images of the ocular fundus. The multispectral images, explains Styles, are affected



differently by the pigments present in the eye, and through a sophisticated algorithm they can be used to generate a pixel-by-pixel "parametric map" of the distribution of substances in the eye. Such maps may allow primary care clinicians to screen for and identify pathologies at a much earlier stage of development than other imaging modalities.

An advantage the new system offers over other multispectral <u>retinal</u> <u>imaging</u> systems is its speed. It can acquire a sequence of multispectral images at a fast enough rate (0. 5 seconds) to reduce image shifts caused by natural eye movements. In contrast with snapshot systems, the system's images retain full spatial resolution. Also, the system uses only the specific wavebands that are required for the subsequent analysis, minimizing the total light exposure of the subject, ensuring patient safety and improving image quality.

"The long term goal," Everdell said, "is to develop a system for chromophore quantification that is an integral part of the standard fundus camera, and therefore could be used routinely by both optometrists and opthalmologists."

More information: The article, "Multispectral Imaging of the Ocular Fundus using LED Illumination" by Nicholas Everdell, Iain B. Styles, Antonio Calcagni, Jonathan Gibson, Jeremy C. Hebden, and Ela Claridge will appear in the journal *Review of Scientific Instruments*. See: rsi.aip.org/

Provided by American Institute of Physics

Citation: LEDs illuminate eye for ocular disease screening (2010, August 31) retrieved 27 June 2024 from <u>https://phys.org/news/2010-08-illuminate-eye-ocular-disease-screening.html</u>



This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.