

NIST researchers create 'quantum cats' made of light

September 1 2010



This is NIST research associate Thomas Gerrits at the laser table used to create "quantum cats" made of light. Credit: NIST


Researchers at the National Institute of Standards and Technology have created "quantum cats" made of photons (particles of light), boosting prospects for manipulating light in new ways to enhance precision measurements as well as computing and communications based on quantum physics.

The NIST experiments, described in a forthcoming paper,* repeatedly produced light pulses that each possessed two exactly opposite properties—specifically, opposite phases, as if the peaks of the [light waves](#) were superimposed on the troughs. Physicists call this an optical Schrödinger's cat. NIST's quantum cat is the first to be made by detecting three photons at once and is one of the largest and most well-defined cat states ever made from light. (Larger cat states have been

created in different systems by other research groups, including one at NIST.)

A "cat state" is a curiosity of the [quantum world](#), where particles can exist in "superpositions" of two opposite properties simultaneously. Cat state is a reference to German physicist Erwin Schrödinger's famed 1935 theoretical notion of a cat that is both alive and dead simultaneously.

"This is a new state of light, predicted in [quantum optics](#) for a long time," says NIST research associate Thomas Gerrits, lead author of the paper. "The technologies that enable us to get these really good results are ultrafast lasers, knowledge of the type of light needed to create the cat state, and photon detectors that can actually count individual photons."



These colorized plots of electric field values indicate how closely the NIST "quantum cats" (left) compare with theoretical predictions for a cat state (right). The purple spots and alternating blue contrast regions in the center of the images indicate the light is in the appropriate quantum state. Credit: Gerrits/NIST

The NIST team created their optical cat state by using an ultrafast laser pulse to excite special crystals to create a form of light known as a squeezed vacuum, which contains only even numbers of photons. A specific number of photons were subtracted from the squeezed vacuum

using a device called a beam splitter. The photons were identified with a NIST sensor that efficiently detects and counts individual photons (see "[NIST Detector Counts Photons With 99 Percent Efficiency](#)")

Depending on the number of subtracted [photons](#), the remaining light is in a state that is a good approximation of a quantum cat says Gerrits—the best that can be achieved because nobody has been able to create a "real" one, by, for instance, the quantum equivalent to superimposing two weak laser beams with opposite phases.

More information: * T. Gerrits, S. Glancy, T. Clement , B. Calkins, A. Lita, A. Miller, A. Migdall, S.W. Nam, R. Mirin and E. Knill. Generation of optical coherent state superpositions by number-resolved photon subtraction from squeezed vacuum. *Physical Review A*. Forthcoming.

Provided by National Institute of Standards and Technology

Citation: NIST researchers create 'quantum cats' made of light (2010, September 1) retrieved 25 April 2024 from <https://phys.org/news/2010-09-nist-quantum-cats.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
