

Ariane 5's fourth launch of 2010

October 29 2010



Ariane 5 flight V197 liftoff

Last night, an Ariane 5 lifted off from Europe's Spaceport in French Guiana on a journey to place two telecommunications satellites, W3B and BSAT-3b, into orbit. Flight V197 was Ariane 5's fourth dualpayload mission of the year.

Liftoff of the 53rd Ariane 5 mission came at 23:51 CEST (21:51 GMT; 18:51 French Guiana). The target injection orbit had a perigee altitude of 250 km, an apogee altitude at injection of 35 913 km and an inclination of 2^o.

The satellites were accurately injected into their transfer orbits about 28 minutes and 37 minutes after <u>liftoff</u>, respectively.

W3B will be positioned in 'geostationary orbit' above the equator at 30.5°E and will provide a wide range of services, from TV broadcasting



to professional data networks and broadband access in Europe, the Middle East, Central Asia, Africa and islands in the Indian Ocean.

BSAT-3b, to be positioned over 110°E, will provide direct-to-home broadcasting services in Japan using eight 130-watt Ku-band transponders.

Satellites in a circular orbit with an altitude of 35 800 km keep pace with Earth's rotation and appear stationary when observed from the ground, hence 'geostationary'.

The payload mass for this launch was approximately 8260 kg; the satellite masses totalled 7460 kg, with payload adapters and dispensers making up the additional 800 kg.

Arianespace and Europe's <u>Spaceport</u> are planning two more Ariane launches in 2010, maintaining the heavy-lift vehicle's flight rate. The ability to sustain high launch rates has been demonstrated: during the 12-month period from August 2007 to August 2008 there were nine launches (V177 – V185).

V197 flight timeline

The Ariane 5's cryogenic, liquid-propellant main engine was ignited first. Seven seconds later, the solid-propellant boosters were also fired, and the vehicle lifted off a fraction of a second later.

The solid boosters were jettisoned 2 min 22 sec after main <u>engine</u> <u>ignition</u>, and the fairing protecting the payload during the climb through Earth's atmosphere was discarded at 3 min 9 sec. The launcher's main engine was shut down at 8 min 50 sec; six seconds later, the main cryogenic stage separated from the upper stage and its payload.



Ten seconds after main stage separation, the engine of the cryogenic upper stage was ignited to continue the journey. The engine was shut down at 24 min 47 sec into the flight, at which point the vehicle was travelling at 9358 m/s (33 689 km/h) at an altitude of 646 km. Geostationary transfer orbit had been achieved.

At 28 min 11 sec after main engine ignition, W3B separated from the upper stage, followed by BSAT-3b at 37 min 50 sec. <u>Ariane 5</u>'s flight operations were completed 49 min 50 sec after main engine ignition.

Provided by European Space Agency

Citation: Ariane 5's fourth launch of 2010 (2010, October 29) retrieved 23 May 2024 from https://phys.org/news/2010-10-ariane-fourth.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.