

Climate change affects horseshoe crab numbers

October 4 2010



This is a horseshoe crab. Credit: Photo: University of Gothenburg

Having survived for more than 400 million years, the horseshoe crab is now under threat – primarily due to overharvest and habitat destruction. However, climatic changes may also play a role. Researchers from the University of Gothenburg reveal how sensitive horseshoe crab populations are to natural climate change in a study recently published in the scientific journal *Molecular Ecology*.

The horseshoe crab is often regarded as a living fossil, in that it has survived almost unchanged in terms of body design and lifestyle for more than 400 million years. Crabs similar to today's horseshoe crabs were walking the Earth long before the dinosaurs.

"Examining the genetic variation in populations of horseshoe crabs along the east coast of America has enabled us to track changes in population size over time," says Matthias Obst from the Department of Zoology at the University of Gothenburg, one of the authors of the study published in *Molecular Ecology*. "We noted a clear drop in the number of horseshoe crabs at the end of the Ice Age, a period characterised by significant global warming."

"Our results also show that future climate change may further reduce the already vastly diminished population. Normally, horseshoe crabs would have no problem coping with [climate change](#), but the ongoing destruction of their habitats make them much more sensitive."

Horseshoe crabs are an important part of the coastal food chain. Their blue blood is used to clinically detect toxins and bacteria. There are currently just four species of horseshoe crab left: one in North America (*Limulus polyphemus*) and three in South East Asia (*Carcinoscorpius rotundicauda*, *Tachypleus gigas* and *Tachypleus tridentatus*).



These are horseshoe crabs stranded in Port Mahon, Delaware Bay, Del. Rocks placed along the beach to protect the coast are preventing the crabs from returning to their playgrounds. Credit: Photograph: Peter Funch.

All four species are under threat on account of over-harvesting for use as fish bait and in the pharmaceuticals industry. The destruction of habitats around the beaches that are the crabs' breeding grounds has also contributed to the drop in numbers.

"The most decisive factor may be future changes in sea level and water temperature," says Obst. "Even if they are on a minimal scale such changes are likely to have a negative impact on the crabs' distribution and reproduction."

Provided by University of Gothenburg

Citation: Climate change affects horseshoe crab numbers (2010, October 4) retrieved 1 May 2024 from <https://phys.org/news/2010-10-climate-affects-horseshoe-crab.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.