


Scientists issue call to action for archaeological sites threatened by rising seas

October 27 2010




This is a map of the Santa Barbara Channel Study area. Credit: Leslie Reeder

Should global warming cause sea levels to rise as predicted in coming decades, thousands of archaeological sites in coastal areas around the world will be lost to erosion. With no hope of saving all of these sites, archaeologists Torben Rick from the Smithsonian Institution, Leslie Reeder of Southern Methodist University, and Jon Erlandson of the University of Oregon have issued a call to action for scientists to assess the sites most at risk.

Writing in the *Journal of Coastal Conservation* and using California's Santa Barbara Channel as a case study, the researchers illustrate how quantifiable factors such as historical rates of shoreline change, wave

action, coastal slope and shoreline geomorphology can be used to develop a scientifically sound way of measuring the vulnerability of individual [archaeological sites](#). They then propose developing an index of the sites most at risk so informed decisions can be made about how to preserve or salvage them.

Urban development, the researchers point out, also is a significant threat to the loss of archaeological data. Coastlines have long been magnets of human settlement and contain a rich array of ancient archaeological sites, many of which have never been excavated. Urban development is projected to remain high in coastal areas, representing a significant danger to undisturbed sites.



These are archaeological sites coded according to a Cultural Resource Vulnerability Index. Credit: Leslie Reeder

Thousands of archaeological sites—from large villages and workshops to fragmented shell middens and lithic scatters—are perched on the shorelines and sea cliffs of the Santa Barbara Channel, the researchers point out. The archaeological record is never static, and the materials left behind by one generation are altered by the people and environment of the next. However, increasing threats from modern urban development,

[sea level](#) rise and [global warming](#) are poised to increase this steady pattern of alteration and destruction.

The vulnerability of sites in the Santa Barbara Channel is generally lower than sites located along more open, more gently sloped or unstable coastlines, such as the Atlantic and Gulf coasts of North America.

Measuring threats and identifying vulnerable sites is not an end in itself, the researchers say. "We must find ways to act...by quantifying those sites most vulnerable to destruction, we take a first step toward mitigating the loss of archaeological data and the shared cultural patrimony they contain."

Provided by Smithsonian

Citation: Scientists issue call to action for archaeological sites threatened by rising seas (2010, October 27) retrieved 1 May 2024 from <https://phys.org/news/2010-10-scientists-issue-action-archaeological-sites.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--