


Laser sets records for neutron yield, laser energy

November 8 2010



Installed and aligned symcap target inside its protective cover.

(PhysOrg.com) -- The National Nuclear Security Administration's National Ignition Facility (NIF) has set world records for neutron yield and laser energy delivered from laser-driven capsules to an inertial confinement fusion (ICF) target. NIF researchers will report on these and other recent experimental results this week at the annual meeting of the American Physical Society Division of Plasma Physics in Chicago.

The neutron yield record was set on Sunday, Oct. 31, when the NIF team fired 121 kilojoules of ultraviolet laser light into a glass target filled with deuterium and <u>tritium</u> (DT) gas. The shot produced approximately 3 x 10^{14} (300 trillion) neutrons, the highest neutron yield to date by an



inertial confinement fusion facility. Neutrons are produced when the nuclei of deuterium and tritium (isotopes of hydrogen) fuse, creating a helium nucleus and releasing a high-energy neutron.

On Tuesday, Nov. 2, the team fired 1.3 megajoules of ultraviolet light into a cryogenically cooled cylinder called a hohlraum containing a surrogate fusion target known as a symmetry capsule, or symcap. This was the highest-energy laser shot and was the first test of hohlraum temperature and capsule symmetry under conditions designed to produce fusion ignition and energy gain. Preliminary analysis indicated that the hohlraum absorbed nearly 90 percent of the laser power and reached a peak radiation temperature of 300 electron volts (about six million degrees Fahrenheit) -- making this the highest X-ray drive energy ever achieved in an indirect drive ignition target.

The experiments followed closely on the heels of NIF's first integrated ignition experiment on Sept. 29, which demonstrated the integration of the complex systems required for an ignition campaign including a target physics design, the laser, target fabrication, cryogenic fuel layering and target positioning, target diagnostics, control and data systems, and tritium handling and personnel and environmental protection systems. In that shot, one megajoule of <u>ultraviolet laser</u> energy was fired into a cryogenically layered capsule filled with a mixture of tritium, hydrogen and <u>deuterium</u> (THD), tailored to enable the most comprehensive physics results.

"The results of all of these experiments are extremely encouraging," said NIF Director Ed Moses, "and they give us great confidence that we will be able to achieve ignition conditions in deuterium-tritium fusion targets."

NIF, the world's largest and highest-energy laser system, is located at Lawrence Livermore National Laboratory (LLNL) in California. NIF researchers are currently conducting a series of "tuning" shots to



determine the optimal target design and laser parameters for high-energy ignition experiments with fusion fuel in the coming months.

When NIF's 192 powerful lasers fire, more than one million joules of ultraviolet energy are focused into the ends of the pencil-eraser-sized hohlraum, a technique known as "indirect drive." The laser irradiation generates a uniform bath of X-rays inside the hohlraum that causes the hydrogen fuel in the target capsule to implode symmetrically, resulting in a controlled thermonuclear fusion reaction. The reaction happens so quickly, in just a few billionths of a second, that the fuel's inertia prevents it from blowing apart before fusion "burn" spreads through the capsule -- hence the term inertial confinement fusion. In ignition experiments, more energy will be released than the amount of laser energy required to initiate the reaction, a condition known as energy gain. NIF researchers expect to achieve a self-sustaining fusion burn reaction with energy gain within the next two years.

The experimental program to achieve fusion and energy gain, known as the National Ignition Campaign, is a partnership among LLNL, Los Alamos National Laboratory, the Laboratory for <u>Laser</u> Energetics at the University of Rochester, General Atomics of San Diego, Calif., Sandia National Laboratories, Massachusetts Institute of Technology, and other national and international partners.

In the Oct. 31 "neutron calibration" shot, NIF's lasers were fired directly onto a DT-filled glass target, as opposed to the indirect-drive geometry used in NIF's TD and THD experiments. The purpose of the shot was to calibrate and test the performance of NIF's extensive neutron diagnostic equipment.

The capsule used in the Nov. 2 symcap experiment has the same twomillimeter outer diameter doped shell as an ignition capsule, but replaces the DT fuel layer with an equivalent mass of material from the outer shell to mimic the capsule's hydrodynamic behavior. Achieving a highly



symmetrical compression of the fuel capsule is a key requirement for NIF to achieve its goal of fusion ignition.

NIF, a project of the U.S. Department of Energy's National Nuclear Security Administration (NNSA) was built as a part of NNSA's program to ensure the safety, security and effectiveness of the nation's nuclear weapons stockpile without underground testing. With NIF, scientists will be able to evaluate key scientific assumptions in current computer models, obtain previously unavailable data on how materials behave at temperatures and pressures like those in the center of a star, and help validate NNSA's supercomputer simulations by comparing code predictions against observations from laboratory experiments.

Because of its groundbreaking advances in technology, NIF also has the potential to produce breakthroughs in fields beyond stockpile stewardship. NIF experiments have been conducted in support of Department of Defense X-ray testing activities, and NIF experiments in nuclear forensics and other national security areas are planned for the next several years. NIF also will provide unprecedented capabilities in fundamental science, allowing scientists to understand, for example, the makeup of stars in the universe and planets both within and outside our solar system. NIF will also help advance fusion energy technology, which could be an element of making the United States energy independent.

Provided by Lawrence Livermore National Laboratory

Citation: Laser sets records for neutron yield, laser energy (2010, November 8) retrieved 24 April 2024 from <u>https://phys.org/news/2010-11-laser-neutron-yield-energy.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is



provided for information purposes only.