

# Methane-powered laptops may be closer than you think

November 17 2010

---



Top view, cathode side, of a free-standing Pt/YSZ/Pt fuel cell showing characteristic buckling patterns. The cell width is 160 microns. Photo courtesy of Shriram Ramanathan.

(PhysOrg.com) -- Making fuel cells practical and affordable will not happen overnight. It may, however, not take much longer.

With advances in nanostructured devices, lower operating temperatures, and the use of an abundant [fuel source](#) and cheaper materials, a group of researchers led by Shriram Ramanathan at the Harvard School of Engineering and Applied Sciences (SEAS) are increasingly optimistic about the commercial viability of the technology.

Ramanathan, an expert and innovator in the development of solid-oxide fuel cells (SOFCs), says they may, in fact, soon become the go-to

technology for those on the go.

Electrochemical fuel cells have long been viewed as a potential eco-friendly alternative to fossil fuels—especially as most SOFCs leave behind little more than water as waste.

The obstacles to using SOFCs to charge laptops and phones or drive the next generation of cars and trucks have remained reliability, temperature, and cost.

Fuel cells operate by converting chemical energy (from hydrogen or a hydrocarbon fuel such as methane) into an electric current. Oxygen ions travel from the cathode through the electrolyte toward the anode, where they oxidize the fuel to produce a current of electrons back toward the cathode.

That may seem simple enough in principle, but until now, SOFCs have been more suited for the laboratory rather than the office or garage. In two studies appearing in the *Journal of Power Sources* this month, Ramanathan's team reported several critical advances in SOFC technology that may quicken their pace to market.

In the first paper, Ramanathan's group demonstrated stable and functional all-ceramic thin-film SOFCs that do not contain any platinum.

In thin-film SOFCs, the electrolyte is reduced to a hundredth or even a thousandth of its usual scale, using densely packed layers of special ceramic films, each just nanometers in thickness. These micro-SOFCs usually incorporate platinum electrodes, but they can be expensive and unreliable.

"If you use porous metal electrodes," explains Ramanathan, "they tend to be inherently unstable over long periods of time. They start to

agglomerate and create open circuits in the fuel cells."

Ramanathan's platinum-free micro-SOFC eliminates this problem, resulting in a win-win: lower cost and higher reliability.

In a second paper published this month, the team demonstrated a methane-fueled micro-SOFC operating at less than 500° Celsius, a feat that is relatively rare in the field.

Traditional SOFCs have been operating at about 800–1000°C, but such high temperatures are only practical for stationary power generation. In short, using them to power up a smartphone mid-commute is not feasible.

In recent years, materials scientists have been working to reduce the required operating temperature to about 300–500°C, a range Ramanathan calls the "sweet spot."

Moreover, when fuel cells operate at lower temperatures, material reliability is less critical—allowing, for example, the use of less expensive ceramics and metallic interconnects—and the start-up time can be shorter.

"Low temperature is a holy grail in this field," says Ramanathan. "If you can realize high-performance solid-oxide fuel cells that operate in the 300–500°C range, you can use them in transportation vehicles and portable electronics, and with different types of fuels."

The use of methane, an abundant and cheap natural gas, in the team's SOFC was also of note. Until recently, hydrogen has been the primary fuel for SOFCs. Pure hydrogen, however, requires a greater amount of processing.

"It's expensive to make pure hydrogen," says Ramanathan, "and that severely limits the range of applications."

As methane begins to take over as the fuel of choice, the advances in temperature, reliability, and affordability should continue to reinforce each other.

"Future research at SEAS will explore new types of catalysts for [methane](#) SOFCs, with the goal of identifying affordable, earth-abundant materials that can help lower the operating temperature even further," adds Ramanathan.

[Fuel cell](#) research at SEAS is funded by the same NSF grant that enabled the "Robobees" project led by Robert J. Wood, Assistant Professor of Electrical Engineering. Wood and Ramanathan hope that micro-SOFCs will provide the tiny power source necessary to get the flying robots off the ground.

Provided by Harvard University

Citation: Methane-powered laptops may be closer than you think (2010, November 17) retrieved 20 April 2024 from <https://phys.org/news/2010-11-methane-powered-laptops-closer.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.