


Researchers describe first functioning 'lipidome' of mouse macrophage

December 1 2010



These are two mouse macrophages. Nuclei are blue, mitochondria red. A newly completed "lipidome" of all of the fat species in the macrophage shows how the cells change under different disease conditions. Credit: UC San Diego School of Medicine

For the first time, scientists have described not only the identities and quantities of fat species in a living mammalian cell – in this case, a mouse macrophage or white blood cell – but they also report how these lipids react and change over time to a bacterial stimulus triggering the cell's immune response.

Writing in the December 17 issue of the *Journal of Biological Chemistry*, lead author Edward A. Dennis, PhD, distinguished professor of

pharmacology, chemistry and biochemistry at the University of California San Diego School of Medicine, said the work culminates more than seven years of effort by scientists in LIPID MAPS, a national consortium of 12 research laboratories at nine "core" universities, medical research institutes and life sciences companies collaborating to study the structure and function of lipids. UC San Diego serves as lead institution and information clearinghouse. Dennis is principal investigator.

"This paper is the essence of what we originally proposed," said Dennis. "This is our big, initial study, though we've published many other papers and have more in the pipeline." All nine core facilities in LIPID MAPS participated in the study.

Until relatively recently, lipid research has not received the same degree of attention as, say, genes or proteins. But fats are indisputably crucial to cell operations and overall health. Lipids represent major structural and metabolic components of cells and perform essential functions, such as membrane construction, energy production and intracellular communications.

"They're also a key in virtually all diseases," said Dennis. "Any condition involving inflammation involves lipids. It's hard to think of a disease, including cancer, in which lipids don't play some role."

Likewise for the subject of the research: the mouse macrophage.

"It would have been simpler to do this with yeast or bacteria," said Dennis, "but the macrophage is found in every kind of mammalian tissue (under different names). It's a major player in the immune system."

Moreover, scientists were able to study natural macrophages obtained from a live, well-established mouse model, rather than relying upon

cultured cells. The model could also be genetically modified to test various hypotheses.

Previous studies have produced increasingly expansive and detailed "parts lists" of lipids. In October, for example, Dennis and colleagues published a paper that identified and quantified almost 600 distinct fat species circulating in human blood.

The new paper goes further. It chronicles the activity of more than 400 fat species in a macrophage after exposure to an endotoxin – a molecule found on the surfaces of bacteria that is recognized by macrophages and which triggers the cell's infection-fighting functions.

Each hour for 24 consecutive hours, scientists measured minuscule increases or decreases of targeted lipids, an indication of greater or lesser activity.

"The result is a temporal model of infection at the level of a single cell," said Dennis.

Similar experiments were conducted with macrophages exposed to a statin (a popular class of cholesterol-lowering drugs) and with [macrophages](#) simultaneously exposed to both an endotoxin and a statin.

"We chose to use a statin because we know it blocks production of cholesterol (a type of lipid), but statins also produce some anti-inflammatory effects. We wanted to see what else happens. And in fact, we saw some unexpected changes in certain metabolites."

Metabolites are the players and products of metabolism – the set of chemical reactions in cells that produce and sustain life.

Dennis said the findings lay the foundation for on-going and future

projects to eventually produce a human "lipidome," a complete inventory of all fat species in the human body and how they work together.

"We only have three more years of the LIPID MAPS project," Dennis said. "But this is really just the beginning."

Provided by University of California - San Diego

Citation: Researchers describe first functioning 'lipidome' of mouse macrophage (2010, December 1) retrieved 27 April 2024 from <https://phys.org/news/2010-12-functioning-lipidome-mouse-macrophage.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--