

# Growth-factor-containing nanoparticles accelerate healing of chronic wounds

January 26 2011

---

Massachusetts General Hospital (MGH) investigators have developed a novel system for delivery of growth factors to chronic wounds such as pressure sores and diabetic foot ulcers. In their work published in the Jan. 18 *Proceedings of the National Academy of Sciences*, the team from the MGH Center for Engineering in Medicine (CEM) reports fabricating nanospheres containing keratinocyte growth factor (KGF), a protein known to play an important role in wound healing, fused with elastin-like peptides. When suspended in a fibrin gel, these nanoparticles improved the healing of deep skin wounds in diabetic mice.

"It is quite amazing how just one dose of the fusion protein was enough to induce significant tissue regeneration in two weeks" says the paper's lead author Piyush Koria, PhD, formerly a postdoctoral fellow at the MGH-CEM and now at the University of South Florida. "Previous reports have suggested that KGF can help heal [chronic wounds](#). But in most studies the growth factor was applied to the surface of the wound, limiting its availability to deeper tissues and requiring repeat applications to produce any clinical benefit. Using large quantities of growth factor would make this therapy extremely expensive. Our work circumvents these limitations by more efficiently delivering KGF throughout the wound to stimulate tissue regeneration."

The authors describe developing a fusion protein from recombinant KGF and elastin-like-peptides, which are major constituents of skin and other connective tissues. Laboratory experiments showed that the fusion protein retained the wound-healing properties of both elastin and KGF

and that it rapidly and efficiently self-assembled into [nanoparticles](#) in response to a simple increase in temperature. When applied to deep skin wounds in genetically diabetic mice, the nanoparticles accelerated healing by stimulating the formation of both surface epithelial tissue and thick fibrous connective tissue.

"This technology has great potential because the fusion protein can be easily manufactured at a relatively low cost, is easy to administer and does not disappear as readily as the growth factor alone," explains Martin Yarmush, MD, PhD, director of the MGH Center for Engineering in Medicine and senior author of the study. "The technology also provides a platform for delivery of any growth factor or combination of factors. One could imagine administering a mixture of nanoparticles, each with a different factor, or a single set of nanoparticles with a mixture of [fusion proteins](#) on each."

Provided by Massachusetts General Hospital

Citation: Growth-factor-containing nanoparticles accelerate healing of chronic wounds (2011, January 26) retrieved 9 April 2024 from <https://phys.org/news/2011-01-growth-factor-containing-nanoparticles-chronic-wounds.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--