

## The microbes in our gut regulate genes that control obesity and inflammation

## January 13 2011

If you are looking to lose weight in the coming year, you may need help from an unexpected place: the bacteria in your gut. That's because scientists have discovered that the bacteria living in your intestines may play a far more significant role in weight loss and gastrointestinal problems than ever imagined.

In a new research report published online in The *FASEB Journal*, researchers show that a deficiency of Toll-like receptor 2 (Tlr2)—used by mammals (including humans) to recognize resident microbes in the intestines—leads to changes in gut bacteria that resemble those of lean animals and humans. This discovery builds on previous research demonstrating that a deficiency of TLR2 protects against obesity, while at the same time promoting gastrointestinal problems like excessive inflammation. It also shows that genes controlling TLR2 expression play a very important role in one's gastrointestinal health and weight management.

"Our work highlights the remarkable capacity for an orchestrated reprogramming of the intestinal inflammatory network to overcome significant genetic challenges in the mammalian bowel," said Richard Kellermayer, Ph.D., a researcher involved in the work from the Section of Pediatric Gastroenterology, Hepatology and Nutrition at Baylor College of Medicine in Houston. "The appropriate exploitation of this remarkable capacity may provide means for the prevention and optimized treatment of common metabolic (such as obesity and diabetes) and gastrointestinal disorders."



To make this discovery, Kellermayer and colleagues studied normal mice and mice deficient in TLR2 using the large intestinal lining of these mice. They compared the TLR2-deficient ones to the normal group, as well as the bacteria, the epigenome (more specifically DNA methylation, a molecular change in the DNA associated with decreased gene expression), and the gene expression of the animals. The researchers found that the absence of TLR2 leads to microbial changes in the gut that resemble lean animals and humans, as well as immunologic changes similar to those observed in ulcerative colitis.

"Every New Year, a significant percentage of us resolve ourselves to lose weight," said Gerald Weissmann, M.D., Editor-in-Chief of The <u>FASEB</u> <u>Journal</u>, "but national statistics on obesity show that we're failing fast. This research linking gut bacteria to TLR2 expression opens entirely new doors for weight control solutions, first by cementing TLR2 as a drug target for obesity, and second by providing further evidence that managing gut <u>bacteria</u> may be an important and effective way to control weight. The challenge, of course, is to find a way to tip the scales just enough to keep weight under control without causing serious gastrointestinal problems."

**More information:** Richard Kellermayer, Scot E. Dowd, R. Alan Harris, Alfred Balasa, Tiffany D. Schaible, Randy D. Wolcott, Nina Tatevian, Reka Szigeti, Zhijie Li, James Versalovic, and C. Wayne Smith, Colonic mucosal DNA methylation, immune response, and microbiome patterns in Toll-like receptor 2-knockout mice. *FASEB J*; doi:10.1096/fj.10-172205

Provided by Federation of American Societies for Experimental Biology

Citation: The microbes in our gut regulate genes that control obesity and inflammation (2011,



January 13) retrieved 9 April 2024 from <a href="https://phys.org/news/2011-01-microbes-gut-genes-obesity-inflammation.html">https://phys.org/news/2011-01-microbes-gut-genes-obesity-inflammation.html</a>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.