

NIST telescope calibration may help explain mystery of universe's expansion

January 6 2011



NIST expertise helped calibrate the 1.4 billion pixels in the camera of the Pan-STARRS telescope in Hawaii, whose observations may reveal details about the expansion of the universe. Credit: Rob Ratkowski, Copyright PS1SC

Is the expansion of the universe accelerating for some unknown reason? This is one of the mysteries plaguing astrophysics, and somewhere in distant galaxies are yet-unseen supernovae that may hold the key. Now, thanks to a telescope calibrated by scientists from the National Institute of Standards and Technology, Harvard University and the University of Hawaii, astrophysicists can be more certain of one day obtaining an accurate answer.

The NIST scientists traveled to the summit of Haleakala volcano in Hawaii to fine-tune the operation of billions of light-collecting pixels in the Pan-STARRS <u>telescope</u>, which scans the heavens for <u>Type IA</u>



supernovae. These dying stars always shine with the same luminosity as other Type IA supernovae, making them useful to observers as "standard candles" for judging distance in the universe. Any apparent shift in the supernova's spectrum gives a measure of how the universe has expanded (or contracted) as the light traveled from the <u>supernova</u> to Earth.

Because Type IA's are valuable as signposts, astrophysicists want to be sure that when they observe one of these faraway stellar cataclysms, they are getting a clear and accurate picture—particularly important given the current mystery over why the rate of expansion of the universe appears to be increasing. For that, they need a telescope that will return consistent information about supernovae regardless of which of the roughly 1,400,000,000 pixels of its collector spots it.

"That's where we came in," says NIST's John Woodward. "We specialize in measurement, and they needed to calibrate the telescope in a way that has never been done before."

Ordinary calibrations involve a telescope's performance at many light wavelengths simultaneously, but Pan-STARRS needed to be calibrated at many individual wavelengths between 400 and 1,000 nanometers. For the job, Woodward and his colleagues used a special laser whose wavelength can be tuned to any value in that range, and spent three days testing the telescope's huge 1.4 gigapixel camera—the largest in the world, Woodward says.

"Pan-STARRS will scan the same areas of the sky repeatedly over many months," Woodward says. "It was designed to look for near-Earth objects like asteroids, and it also pulls double duty as a supernova hunter. But for both jobs, observers need to be sure they can usefully compare what they see from one image to the next."

Woodward says that because this is one of the first-ever such



calibrations of a telescope, it is unclear just how much effect the team's work will have, and part of their future work will be determining how much they have reduced the uncertainties in Pan-STARRS's performance. They will use this information to calibrate a much larger telescope—the Large Synoptic Survey Telescope, planned for construction in Chile.

More information: * C.W. Stubbs, P. Doherty, C. Cramer, G. Narayan, Y.J. Brown, K.R. Lykke, J.T. Woodward and J.L. Tonry. Precise throughput determination of the Pan-STARRS telescope and the gigapixel imager using a calibrated silicon photodiode and a tunable laser: Initial results. *Astrophysical Journal Supplement*, Dec. 2010, Pages 376-388.

Provided by National Institute of Standards and Technology

Citation: NIST telescope calibration may help explain mystery of universe's expansion (2011, January 6) retrieved 19 April 2024 from https://phys.org/news/2011-01-nist-telescope-calibration-mystery-universe.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.