


Predation by foxes aided by Earth's magnetic field

January 14 2011, by Lin Edwards



Hypothetical principle of a "magnetic range-finder" in the red fox assuming radical-pair-based magnetoreception. Image credit: [i]Biology Letters[/i], doi:10.1098/rsbl.2010.1145

(PhysOrg.com) -- Scientists in the Czech Republic and Germany studying the hunting behavior of red foxes have discovered the foxes are more successful if they jump on their prey towards the north.

Professor Hynek Burda of the University of Duisburg-Essen in Germany, and colleagues in the Czech Republic, studied the [red fox](#) (*Vulpes vulpes*), which hunts small prey in long vegetation or under snow by slowly creeping forward and listening intently before jumping high and pouncing on the prey from above, a process known as mousing.

A total of 84 wild red foxes were observed in 65 locations in the Czech

Republic by 23 wildlife biologists and hunters between April 2008 and September 2010. The observers used a [compass](#) to measure body orientation of the foxes as they prepared to make hunting jumps on 592 occasions in total, with the immediate success or failure of 200 of the jumps being clear. The observations were made in different seasons and habitats and different times of day.

The researchers found that the foxes tended to prepare for their jumps in long vegetation or snow with their body aligned in a roughly north-easterly direction (around 20° clockwise from magnetic north). In short vegetation, where the foxes were more likely to be able to see their prey, there was no bias towards any particular direction.

In long vegetation and snow 72.5 % of successful attacks were made when the fox's head was facing towards the north (340° - 40°) and attacks from other directions were mostly unsuccessful, except for a successful cluster 15% at due south. These results were found regardless of the time of year, time of day, cloud cover, wind direction, or age and gender of the fox.

The researchers say their findings suggest the successful attacks were enhanced by magnetic alignment, and Burda said their favorite hypothesis is that the fox uses information on the Earth's magnetic field as a range finder. Burda said the fox could sense the magnetic northerly direction as a patch of dark or light. In the northern hemisphere the magnetic field tilts downwards below the horizontal at an angle of 60 - 70° , so the fox edges forward in search of the point at which the angle of the sound from the prey meets the slope of the [magnetic field](#). At that point the [prey](#) is a fixed jump distance away.

If the hypothesis is correct, the red fox would be the first animal ever shown to use magnetic fields as an aid to [hunting](#), and the first to be shown to use it as an aid to estimating distance rather than direction.

Many other animals are known to be able to detect magnetic fields, and in Burda's earlier work in 2008, herds of cows and deer were shown to align in a north-south direction, except when grazing under high-voltage power lines, which produce strong magnetic fields.

The paper was published in *Biology Letters* and is available online.

More information: Directional preference may enhance hunting accuracy in foraging foxes, Jaroslav Červený et al., *Biology Letters*, Published online before print January 12, 2011, [doi: 10.1098/rsbl.2010.1145](https://doi.org/10.1098/rsbl.2010.1145)

© 2010 PhysOrg.com

Citation: Predation by foxes aided by Earth's magnetic field (2011, January 14) retrieved 27 April 2024 from <https://phys.org/news/2011-01-predation-foxes-aided-earth-magnetic.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--