

# East Coast gliders yield valuable marine life data

February 28 2011

---



Electronics engineer Lindsay Macdonald (left) and oceanographer Ken Ridgway with the deep ocean glider that has been generating substantial profiles of the Tasman Sea. Credit: CSIRO

The influence ocean eddies have on marine life in the oceans surrounding Australia's south-east is expected to become clearer after scientists examine data from new deep-diving research 'gliders' patrolling the East Australian Current.

Eddies can be up to 200 kilometres across and they distribute heat and nutrients around the ocean and form their own distinct habitat. An insight into ocean eddies is also an insight into how ocean dynamics influences regional climate.

CSIRO scientists and technicians last month retrieved one of three

gliders working in south-east [Australia](#) after a five-month program criss-crossing the East Australian Current.

“We will see in significantly more detail than ever before the profile of the ocean eddies spinning off the East Australian Current which are critical to shaping the composition of the biological hotspots driving fisheries production and supporting [marine life](#),” says oceanographer Ken Ridgway at the CSIRO Wealth from Oceans Flagship.

South-west of Tasmania another glider has been measuring a deep ocean current called the Tasman Outflow, that feeds into the global network of ocean currents.

The research project is funded through the Australian Climate Change Science Program, a joint program between CSIRO, the Bureau of Meteorology and the Department of Climate Change and Energy Efficiency.

Mr. Ridgway is Bluewater and Climate Node co-leader in Australia’s Integrated Marine Observing System (IMOS), a \$100 million project to observe the oceans and seas around Australia. IMOS provides research infrastructure around the country, including these gliders, to deliver data streams for use by the entire Australian marine and climate science community and its international collaborators.

The IMOS fleet of deep ocean gliders also operate in the waters off New South Wales, Queensland, Western Australia and South Australia. They are piloted by staff at the University of Western Australia.

The glider observing the East Australian Current travelled up to 250km east of Tasmania, making eight crossings in total of the Current, and taking measurements of temperature and salinity to a depth of 1000m.

Mr. Ridgway said CSIRO has been working with the Sydney Institute of Marine Science studying the ocean eddies formed in the EAC and moving southwards.

“Gliders allow us to investigate these processes in considerably more detail and are a tremendously exciting option for ocean scientists.

“The latest design can descend to nearly 6000m and remain at sea for up to 18 months,” Mr. Ridgway said.

Provided by CSIRO

Citation: East Coast gliders yield valuable marine life data (2011, February 28) retrieved 20 April 2024 from <https://phys.org/news/2011-02-east-coast-gliders-yield-valuable.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.