

# New observations of the giant planet orbiting beta-Pictoris

March 3 2011




Fig. 1. Multi-epoch observations of the  $\beta$  Pictoris b exoplanet. The planet was imaged in 2003 (left image) in the L' band ( $3.8 \mu\text{m}$ ) in the plane of the circumstellar disk surrounding the star (not seen here). It was detected again in October 2009 (middle) when it had moved to the other side of the star. The new observations made in March 2010 at  $2.18 \mu\text{m}$ , which are now published in *A&A*, are shown in the right panel. The planet has moved yet again relative to its position measured in 2009.

*Astronomy & Astrophysics* is publishing new observations of the giant planet around  $\beta$  Pictoris. Discovered in 2009, this planet, called  $\beta$  Pictoris b, has now been detected again with the NaCo instrument on the VLT. Astronomers find that the planet is moving around the star. They have also measured the mass and the effective temperature of  $\beta$  Pic b.

*Astronomy & Astrophysics* publishes new high angular resolution observations of the giant planet orbiting the star  $\beta$  Pictoris. Located at

63.4 light-years from the Sun,  $\beta$  Pic is a very young star of about 12 million years old, which is 75% more massive than our Sun.  $\beta$  Pic is well known for harboring an extended and structured circumstellar disk. It was actually the first star to have its disk directly imaged more than 25 years ago. In 2009, a giant planet was seen orbiting within the disk. With an orbital distance of 8 to 15 astronomical units (AU),  $\beta$  Pictoris b is the closest exoplanet to its star that has ever been imaged. This planet offers a new opportunity to study the planetary formation processes, in particular the interactions between the planets and their native disks.

An international team of astronomers observed the  $\beta$  Pic system, using the VLT/NaCo instrument at 2.18  $\mu\text{m}$ , previous observations having been made near 4  $\mu\text{m}$ . They detected the planet again and compared these new observations with the previous ones, as illustrated in Fig. 1. Combining all the data together shows that the planet is moving around the star, as expected from the previous data. Analyzing these new observations, the team was then able to measure the mass of the planet, around 7 to 11 times the mass of Jupiter, and its effective temperature, between 1100 and 1700°C.

These new data already tell us something about the formation of the planet, especially because the system is very young. The planet  $\beta$  Pic b is still warm, implying that it has retained most of the primordial heat acquired during its formation. If it has been formed in a similar way to the [giant planets](#) of our solar system, its mass and temperature cannot be explained by some evolutionary models that hypothesize a total release of the energy acquired during the accretion of disk materials.

Forthcoming observations of  $\beta$  Pictoris b with NaCo and also with the next generation VLT instrument SPHERE should soon provide more details about its atmosphere and orbital properties and about the way this companion influences the surrounding disk material.

**More information:** High angular resolution detection of  $\beta$  Pictoris b at 2.18  $\mu\text{m}$ , by M. Bonnefoy, et al. Published in *Astronomy & Astrophysics*, 2011, vol. 528, L15

Provided by Astronomy and Astrophysics

Citation: New observations of the giant planet orbiting beta-Pictoris (2011, March 3) retrieved 9 February 2023 from <https://phys.org/news/2011-03-giant-planet-orbiting-beta-pictoris.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.