

Jaguar-like species of catfish discovered in the Amazon

March 2 2011



A new species of catfish -- Stenolicnus ix - was discovered in Curuá creek, left tributary of the Amazon River in Pará, Brazil. Credit: Wolmar B. Wosiack

A series of expeditions to explore the unknown biodiversity of the forests of the northern margin of the Amazon River in Brazil yielded a new species of catfish, researchers from Brazil announced today. Published in the journal *Zootaxa* in January, the discovery was made in a tributary of the Amazon River, in the northern state of Pará, at the heart of the world's largest block of protected rainforest, which covers four million hectares.

Named after the Mayan word "Ix", which is a term used to describe jaguars, the new fish, Stenolicnus ix, differs from other species of the same genus by the length of the nasal barbels, or the slender, whisker-



like tactile organs extending from the mouth. The color pattern on the dorsal part of the trunk also distinguishes this new <u>catfish</u>, among other characteristics. It has a cream color background and a pattern of grouped dark patches scattered around its body, similar to jaguars.

The individual of Stenolicnus ix was collected with a sieve by scraping sand and leaf litter from the Curuá River bed. Some fifteen species of fish were also observed in the same narrow and shallow waters, in an area about 5 meters wide and less than a meter deep. All other species of the same subfamily (Sarcoglanidinae) have been described based on one to three specimens only due to the limited access to the area where they are found – researchers reached the headwaters of the Curuá River by helicopter. Also, the fact that the fish is tiny (only about 2 cm) and translucent makes it more difficult to be found.

"This fish was collected when we were about to finish our research in the creek. It is very small and, therefore, very hard to find. This is why we collected only a single individual," says Wolmar Wosiack, researcher and curator of the ichthyology collection of the Emilio Goeldi Museum, in the state of Pará, Brazil. The description was made by Wosiack with Luciano Montag, a professor at the Federal University of Pará, and Daniel Coutinho, student from the Graduate Program in Zoology of the Federal University of Pará. Wosiack, Montag and Coutinho are the authors of the article describing Stenolicmus ix.

The expeditions were organized by Emílio Goeldi Museum, Conservation International Brazil and the Environment Secretary of the State of Pará. Seven biological expeditions were held in 2008 with about 30 researchers who set out to explore an area of more than 12 million hectares and map out the biodiversity of this protected area -- previously unknown to science. The expeditions were led by Alexandre Aleixo, researcher and curator of the ornithological collection of the Museu Goeldi.



Patricia Baião, Amazon Program director at Conservation International Brazil, said: "Discoveries like this one remind us that we still have a lot to learn about the <u>biodiversity</u> of the Amazon. Grao Pará Ecological Station is the world's biggest strictly protected area and holds important species, some unknown to science, and major ecosystems services. Only the protection of its limits and real implementation will achieve this area's purpose: the conservation of these native forests."

More information: "Description of a new species of sand-dwelling catfish of the genus Stenolicmus (Siluriformes; Trichomycteridae)" *Zootaxa* 2752: 62–68 (31 Jan. 2011) (PDF)

Provided by Conservation International

Citation: Jaguar-like species of catfish discovered in the Amazon (2011, March 2) retrieved 10 April 2024 from https://phys.org/news/2011-03-jaguar-like-species-catfish-amazon.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.