

## MEMS thermal sensor detects preatherosclerotic lesions

March 7 2011

A new study published in the *Annals of Biomedical Engineering* shows that a MEMS thermal sensor deployed by an angiogram catheter can detect the earliest stages of atherosclerosis. The MEMS thermal sensor used convective heat transfer to detect pre-atherosclerotic regions of arteries that otherwise showed no clinical signs of atherosclerosis.

Although diet and lifestyle changes can often reverse atherosclerosis in its earliest stages, no real-time means of detecting pre-atherosclerotic regions exists. The MEMS sensor method has the advantage of being both minimally invasive and sensitive. The technology has the potential for widespread and rapid application during diagnostic angiograms.

The study's lead author, Dr. Tzung Hsiai, an Associate Professor of Biomedical Engineering and Cardiology at the University of Southern California, said, "The innovation of this study lies in the convective heat transfer strategy to detect changes in output voltage signals in the nonobstructive, albeit inflammatory and otherwise considered normal arterial regions."

Scientists have demonstrated that frictional force acting on the walls of vessels by blood flow, known as shear stress, is intimately involved in oxidative stress and inflammatory responses that lead to atherosclerosis. In athero-prone regions, the flow is disturbed, yet detection of changing <u>flow patterns</u> in real-time remains a challenge.

Dr. Hsiai's group developed a micro-electro-mechanical system (MEMS)



by depositing titanium and platinum on a <u>flexible polymer</u> membrane and patterning them to form the sensing elements. They deployed the sensor via an angiogram catheter into the aortic and abdominal arteries of rabbits that had eaten a high fat, high cholesterol diet, and a control group that had eaten a normal diet.

An <u>electric current</u> passed through the sensing element and generated a thermal layer in the flow field, from which convective heat transfer was measured as a function of the voltage signals. In the regions of atherosclerotic lesions, blood flow is disturbed. This causes changes in convective <u>heat transfer</u> from the sensing element to the flow field, and thus, changes in voltage signals. The sensor measured a high voltage upstream from the part of the blood vessel that harbored the atherosclerotic plaque, and a low voltage downstream.

The scientists concluded that the MEMS thermal sensor method could sensitively detect pre-atherosclerotic regions that otherwise showed no clinical signs of atherosclerosis. The authors integrated mathematical simulations, fluoroscopic images, and dissection of the aortas to verify their results.

Once the MEMS thermal sensors have identified the atherosclerotic lesion, doctors can identify whether this lesion is a vulnerable or stable plaque. A vulnerable plaque could rupture, which blocks the arteries and causes heart attacks and strokes. Doctors perform angioplasty and implant stents to prevent blockage of vessels. However, lifestyle changes and medication can manage stable plaque.

According to Dr. Hsiai, "Despite imaging modalities, we have yet to develop a means to differentiate vulnerable from stable plaque. If we can differentiate vulnerable from stable plaque during a diagnostic angiogram, we can avoid unnecessary complications from angioplasty and stenting, and deliver an enhanced risk-to-benefit profile for our



patients. It could also reduce health costs by eliminating unnecessary procedures and for treating procedure-related complications."

**More information:** Fei Yu, Lisong Ai, Wangde Dai, Nora Rozengurt, Hongyu Yu, Tzung Keith Hsiai. MEMS Thermal Sensors to Detect Changes in Heat Transfer in the Pre-Atherosclerotic Regions of Fat-Fed New Zealand White Rabbits. Annals of Biomedical Engineering. DOI:10.1007/s10439-011-0283-8

Provided by Springer

Citation: MEMS thermal sensor detects pre-atherosclerotic lesions (2011, March 7) retrieved 3 May 2024 from <u>https://phys.org/news/2011-03-mems-thermal-sensor-pre-atherosclerotic-lesions.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.