

Trapping a rainbow: Researchers slow broadband light waves with nanoplasmonic structures

March 14 2011

A team of electrical engineers and chemists at Lehigh University have experimentally verified the "rainbow" trapping effect, demonstrating that plasmonic structures can slow down light waves over a broad range of wavelengths.

The idea that a [rainbow](#) of broadband light could be slowed down or stopped using plasmonic structures has only recently been predicted in theoretical studies of metamaterials. The Lehigh experiment employed focused ion beams to mill a series of increasingly deeper, nanosized grooves into a thin sheet of silver. By focusing light along this plasmonic structure, this series of grooves or nano-gratings slowed each [wavelength](#) of optical light, essentially capturing each individual color of the [visible spectrum](#) at different points along the [grating](#). The findings hold promise for improved data storage, [optical data](#) processing, [solar cells](#), bio [sensors](#) and other technologies.

While the notion of slowing light or trapping a rainbow sounds like ad speak, finding practical ways to control photons—the particles that makes up light— could significantly improve the capacity of data storage systems and speed the processing of optical data.

The research required the ability to engineer a metallic surface to produce nanoscale periodic gratings with varying groove depths. This alters the optical properties of the nanopatterned metallic surface, called

Surface Dispersion Engineering. The broadband surface [light waves](#) are then trapped along this plasmonic metallic surface with each wavelength trapped at a different groove depth, resulting in a trapped rainbow of light.

Through direct optical measurements, the team showed that light of different wavelengths in the 500-700nm region was "trapped" at different positions along the grating, consistent with computer simulations. To prepare the nanopattern gratings required "milling" 150nm wide rectangular grooves every 520nm along the surface of a 300-nm-thick silver sheet. While intrinsic metal loss on the surface of the metal did not permit the complete "stopping" of these plasmons, future research may look into compensating this loss in an effort to stop light altogether.

"Metamaterials, which are man-made materials with feature sizes smaller than the wavelength of light, offer novel applications in nanophotonics, photovoltaic devices, and biosensors on a chip," said Filbert J. Bartoli, principal investigator, professor and chair of the Department of Electrical and Computer Engineering. "Creating such nanoscale patterns on a metal film allows us to control and manipulate light propagation. The findings of this paper present an unambiguous experimental demonstration of rainbow trapping in plasmonic nanostructures, and represents an important step in this direction."

"This technology for slowing light at room temperature can be integrated with other materials and components, which could lead to novel platforms for optical circuits. The ability of surface plasmons to concentrate light within nanoscale dimensions makes them very promising for the development of biosensors on chip and the study of nonlinear optical interactions," said Qiaoqiang Gan, who completed this work while a doctoral candidate at Lehigh University, and is now an assistant professor in the Department of Electrical Engineering , State

University of New York at Buffalo.

The study is published in the current issue of the *Proceedings of the National Academy of Sciences*.

Provided by Lehigh University

Citation: Trapping a rainbow: Researchers slow broadband light waves with nanoplasmonic structures (2011, March 14) retrieved 1 May 2024 from <https://phys.org/news/2011-03-rainbow-broadband-nanoplasmonic.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--