


Birds inherited strong sense of smell from dinosaurs (w/ video)

April 13 2011



Evolution in birds of the olfactory bulb, the part of the brain where smell information is processed, passing from a dinosaur (Bambiraptor) through early birds (Lithornis, Presbyornis) to a modern-day bird (pigeon). Courtesy of WitmerLab at Ohio University.

(PhysOrg.com) -- Birds are known more for their senses of vision and



hearing than smell, but new research suggests that millions of years ago, the winged critters also boasted a better sense for scents.

A study published today by scientists at the University of Calgary, the Royal Tyrrell Museum and the Ohio University College of Osteopathic Medicine tested the long-standing view that during the evolution from dinosaurs to birds, the sense of smell declined as birds developed heightened senses of vision, hearing and balance for flight. The team compared the olfactory bulbs in the brains of 157 species of dinosaurs and ancient and modern-day birds.

The findings, published in the journal <u>Proceedings of the Royal Society</u> B, dispute that theory. The scientists discovered that the sense of smell actually increased in early bird evolution, peaking millions of years ago during a time when the ancestors of modern-day birds competed with dinosaurs and more ancient branches of the bird family.

"It was previously believed that birds were so busy developing vision, balance and coordination for flight that their sense of smell was scaled way back," said Darla Zelenitsky, assistant professor of paleontology at the University of Calgary and lead author of the research. "Surprisingly, our research shows that the sense of smell actually improved during dinosaur-bird evolution, like vision and balance."

In an effort to conduct the most detailed study to date on the evolution of sense of smell, the research team made CT scans of dinosaurs and extinct bird skulls to reconstruct their brains. The scientists used the scans to determine the size of the creatures' olfactory bulbs, a part of the brain involved in the sense of smell. Among modern-day birds and mammals, larger bulbs correspond to a heightened sense of smell.

"Of course the actual brain tissue is long gone from the fossil skulls," said study co-author Lawrence Witmer, Chang Professor of



Paleontology at the Ohio University College of Osteopathic Medicine, "but we can use CT scanning to visualize the cavity that the brain once occupied and then generate 3D computer renderings of the olfactory bulbs and other brain parts."

The study revealed details of how birds inherited their sense of smell from dinosaurs.



The dinosaur Bambiraptor in a turkey vulture's colours. Bambiraptor had a keen sniffer similar to that of a modern-day turkey vulture. Courtesy of Julius Csotonyi.

"The oldest known bird, Archaeopteryx, inherited its sense of smell from small meat-eating dinosaurs about 150 million years ago," said François Therrien, curator of dinosaur palaeoecology at the Royal Tyrrell Museum and co-author of the study. "Later, around 95 million years ago, the ancestor of all modern birds evolved even better olfactory




capabilities."

How well did dinosaurs smell, especially compared to modern animals? Although scientists haven't been able to make an exhaustive comparison, Witmer noted that the ancient beasts most likely exhibited a range of olfactory abilities. T. rex had large olfactory bulbs, which probably aided the creature in tracking prey, finding carcasses and possibly even territorial behavior, while a sense of smell was probably less important to dinosaurs such as Triceratops, he said.

The team was able to make some direct comparisons between the ancient and modern-day animals under study. Archaeopteryx, for example, had a sense of smell similar to pigeons, which rely on odors for a number of behaviors.





Graph of olfactory bulb size and body size of individual bird (black symbols) and dinosaur (green symbols) species. Similarities in olfactory bulb size and body size between species, as illustrated by the dinosaur Bambiraptor, the turkey vulture, and the albatross, suggest a comparable sense of smell. Courtesy of Darla Zelenitsky

"Turkey vultures and albatrosses are birds well known for their keen sense of smell, which they use to search for food or navigate over large areas," says Zelenitsky. "Our discovery that small Velociraptor-like



dinosaurs, like Bambiraptor, had a sense of smell as developed as turkey vultures and albatrosses suggests that smell may have played an important role while these dinosaurs hunted for food."

If early birds had such powerful sniffers, why do birds have a reputation for a poor sense of smell? Witmer explained that the new study confirms that the most common birds that humans encounter today—the backyard perching birds such as crows and finches, as well as pet parrots—indeed have smaller olfactory bulbs and weaker senses of smell. It may be no coincidence that the latter are also the cleverest <u>birds</u>, suggesting that their enhanced smarts may have decreased the need for a strong sniffer, he said.

More information: Zelenitsky, D. K., F. Therrien, R. C. Ridgely, A. R. McGee, and L. M. Witmer. 2011. Evolution of olfaction in non-avian theropod dinosaurs and birds. *Proceedings of the Royal Society B.* 13 April 2011.

Provided by Ohio University

Citation: Birds inherited strong sense of smell from dinosaurs (w/ video) (2011, April 13) retrieved 28 April 2024 from

https://phys.org/news/2011-04-birds-inherited-strong-dinosaurs-video.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.