

How fish swim: Imaging device shows contribution of fins

April 22 2011, By B. D. Colen



Using a new form of laser imaging device, Brooke Flammang and colleagues at Harvard's Museum of Comparative Zoology have discovered that "the dorsal and the anal fin make a great contribution to the caudal [tail fin] wake," and thus are additional propellers, and not just stabilizers. A cichlid swims in the particles that the laser illuminates. Credit: Brooke Flammang

There are fish tales and then there are fish tails. And a report from Harvard researchers in the current issue of the journal <u>Biology Letters</u> seems to demonstrate that previous theories about how bony fish move



through the water were, well, just fish tales.

Scientists have long believed that sunfish, perch, trout, and other such bony <u>fish</u> propel themselves forward with the movement of their tails, while their dorsal and anal <u>fins</u> — the fins on their tops and bottoms — work primarily as stabilizers.

But using a new form of laser imaging device, Brooke Flammang and colleagues at Harvard's Museum of Comparative Zoology (MCZ) have discovered that "the dorsal and the anal fin make a great contribution to the caudal [tail fin] wake," and thus are additional propellers, and not just stabilizers.

Flammang's group made this discovery with help from "a brand-new laser imaging device that allowed us to get an instantaneous threedimensional view of the wake of a swimming fish." Previous observations, she said, "have been made in two dimensions."

Researchers used what Flammang called, with a laugh, "a treadmill for fish — it's a giant Plexiglas tank with water circulated in one direction, and the fish moves at a speed controlled by the flow of the water."

White plastic particles, "almost like a powder," are put into the water, and then "cameras record laser illumination of particles in water" as the fish swims against the current in the tank so that researchers can observe and record the wake of the fish — "which tells us the direction of thrust and how thrust is produced," said Flammang, a postdoctoral fellow in the laboratory of George Lauder, the Henry Bryant Bigelow Professor of Ichthyology in Harvard's Department of Organismic and Evolutionary Biology and curator of ichthyology at the MCV. (Flammang was a graduate student when she and her group did the work.)

The new laser device provides a three-dimensional view of the fish's



movement, Flammang said. With the new system researchers are able to get the entire volume of water being moved in each of multiple sequential photographic images.

"We knew the dorsal and anal fins are very important for balance, and although a locomotory role was suspected, we have only now been able to show that they also play a big part in locomotion," Flammang said.

Provided by Harvard University

Citation: How fish swim: Imaging device shows contribution of fins (2011, April 22) retrieved 26 April 2024 from <u>https://phys.org/news/2011-04-fish-imaging-device-contribution-fins.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.