

## 'Giant Proximity Effect' enhances hightemperature superconductivity

April 13 2011, by Joe Gettler



Brookhaven Lab physicist Ivan Bozovic with the molecular beam epitaxy system he uses to engineer superconducting thin films.

(PhysOrg.com) -- Sandwiched superconductors engineered to function at higher temperatures could be used in new ultra-fast superconducting electronics.

Scientists at the U.S. Department of Energy's Brookhaven National Laboratory (BNL), collaborating with scientists from the Paul Scherrer Institute (PSI) and the University of Zürich in Switzerland, have found that sandwiching a barrier layer between two <u>superconductors</u> can make



it superconducting at significantly higher temperatures. The results will be published online in *Nature Communications* on April 12, 2011.

Conventional superconducting materials allow electricity to flow without any resistance or energy loss when cooled below a transition <u>temperature</u>  $(T_c)$  near absolute zero. High-temperature varieties discovered more recently can operate at warmer temperatures, but still require significant cooling, which hampers their use in many large-scale practical applications. Finding ways to raise the temperature further, such as the layering approach described in this paper, could lead to the realization of such applications as low-power consumption, ultra-fast superconducting electronic devices.

"For many years, we have known about a 'Proximity Effect,' that superconducting electron pairs from one superconducting electrode can drift and penetrate a very thin metallic layer, and then reach the other superconducting electrode without losing their coherence," said Brookhaven physicist Ivan Bozovic, co-author of the paper. "More recently, we have observed a mysterious 'Giant Proximity Effect' in copper-oxide materials — cuprates — when supercurrent flows through much thicker barriers."

Because thicker layers are easier to fabricate and work with, taking advantage of the Giant Proximity Effect could make it much easier to achieve on-chip device uniformity — the requirement that all devices on an electronic chip have similar parameters. "This has been a major technical hurdle for large-scale-integrated superconducting electronics," Bozovic said.

To explore the Giant Proximity Effect, Bozovic and his team engineered complex cuprates using a process called molecular beam epitaxy. They synthesized samples of thin films containing layers of lanthanum-cuprate superconductors doped with strontium to various levels, to create a series



with varying transition temperatures. The Brookhaven samples were studied at PSI using a unique technique called low-energy muon spin rotation to detect superconductivity in each sample's outer and inner layers.

By mapping the magnetic fields for each structure, the scientists observed the Giant Proximity Effect and found that a thick barrier of superconductor with a  $T_c$  of 5 Kelvin could transmit supercurrent at a temperature four times higher, if it is sandwiched between two superconductors with a  $T_c$  of 40 Kelvin. Their results also proved that the entire barrier layer is affected by the Giant Proximity Effect.

"In addition to its potential importance for superconducting electronics, the Giant Proximity Effect could be an important hint of what is going on in cuprates — what drives the high-temperature superconductivity," Bozovic added. Discovering that mechanism could open up a whole new field for engineering superconductors with desired properties.

Provided by Brookhaven National Laboratory

Citation: 'Giant Proximity Effect' enhances high-temperature superconductivity (2011, April 13) retrieved 2 May 2024 from https://phys.org/news/2011-04-giant-proximity-effect-high-temperature-superconductivity.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.