


Nano fit-ness: Helping enzymes stay active and keep in shape

April 6 2011



Rensselaer Polytechnic Institute professor Marc-Olivier Coppens has developed a new technique for boosting the stability of enzymes, making them useful under a much broader range of conditions. Coppens confined lysozyme and other enzymes inside carefully engineered nanoscale holes, or nanopores. Instead of denaturing, these embedded enzymes mostly retained their 3-D structure and exhibited a significant increase in activity. Credit: Rensselaer/Coppens

Proteins are critically important to life and the human body. They are also among the most complex molecules in nature, and there is much we still don't know or understand about them.

One key challenge is the stability of enzymes, a particular type of [protein](#) that speeds up, or catalyzes, [chemical reactions](#). Taken out of their natural environment in the cell or body, enzymes can quickly lose their shape and denature. Everyday examples of enzymes denaturing include milk going sour, or eggs turning solid when boiled.

Rensselaer Polytechnic Institute Professor Marc-Olivier Coppens has

developed a new technique for boosting the stability of enzymes, making them useful under a much broader range of conditions. Coppens confined lysozyme and other enzymes inside carefully engineered nanoscale holes, or nanopores. Instead of denaturing, these embedded enzymes mostly retained their 3-D structure and exhibited a significant increase in activity.

"Normally, when you put an enzyme on a surface, its activity goes down. But in this study, we discovered that when we put enzymes in nanopores – a highly controlled environment – the enzymatic activity goes up dramatically," said Coppens, a professor in the Department of Chemical and Biological Engineering at Rensselaer. "The enzymatic activity turns out to be very dependent on the local environment. This is very exciting."

Results of the study are detailed in the paper, "Effects of surface curvature and surface chemistry on the structure and activity of proteins adsorbed in nanopores," published last month by the journal [Physical Chemistry Chemical Physics](#).

Researchers at Rensselaer and elsewhere have made important discoveries by wrapping enzymes and other proteins around nanomaterials. While this immobilizes the enzyme and often results in high stability and novel properties, the enzyme's activity decreases as it loses its natural 3-D structure.

Coppens took a different approach, and inserted enzymes inside nanopores. Measuring only 3-4 nanometers (nm) in size, the [enzyme](#) lysozyme fits snugly into a nanoporous material with well-controlled pore size between 5 nm and 12 nm. Confined to this compact space, the enzymes have a much harder time unfolding or wiggling around, Coppens said.

The discovery raises many questions and opens up entirely new possibilities related to biology, chemistry, medicine, and nanoengineering, Coppens said. He envisions this technology could be adapted to better control nanoscale environments, as well as increase the activity and selectivity of different enzymes. Looking forward, Coppens and colleagues will employ molecular simulations, multiscale modeling methods, and physical experiments to better understand the fundamental mechanics of confining enzymes inside nanopores.

More information: The paper may be viewed online at:
<http://dx.doi.org/10.1039/C0CP02273J>

Provided by Rensselaer Polytechnic Institute

Citation: Nano fit-ness: Helping enzymes stay active and keep in shape (2011, April 6) retrieved 25 April 2024 from <https://phys.org/news/2011-04-nano-fit-ness-enzymes.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.