

# New bandwidth management techniques boost operating efficiency in multi-core chips

May 25 2011

---

Researchers from North Carolina State University have developed two new techniques to help maximize the performance of multi-core computer chips by allowing them to retrieve data more efficiently, which boosts chip performance by 10 to 40 percent.

To do this, the new techniques allow multi-core chips to deal with two things more efficiently: allocating [bandwidth](#) and "prefetching" data.

Multi-core chips are supposed to make our computers run faster. Each core on a chip is its own [central processing unit](#), or computer brain. However, there are things that can slow these cores. For example, each core needs to retrieve data from [memory](#) that is not stored on its chip. There is a limited pathway – or bandwidth – these cores can use to retrieve that off-chip data. As chips have incorporated more and more cores, the bandwidth has become increasingly congested – slowing down system performance.

One of the ways to expedite core performance is called prefetching. Each chip has its own small memory component, called a cache. In prefetching, the cache predicts what data a core will need in the future and retrieves that data from off-chip memory before the core needs it. Ideally, this improves the core's performance. But, if the cache's prediction is inaccurate, it unnecessarily clogs the bandwidth while retrieving the wrong data. This actually slows the chip's overall performance.

"The first technique relies on criteria we developed to determine how much bandwidth should be allotted to each core on a chip," says Dr. Yan Solihin, associate professor of electrical and computer engineering at NC State and co-author of a paper describing the research. Some cores require more off-chip data than others. The researchers use easily-collected data from the hardware counters on each chip to determine which cores need more bandwidth. "By better distributing the bandwidth to the appropriate cores, the criteria are able to maximize system performance," Solihin says.

"The second technique relies on a set of criteria we developed for determining when prefetching will boost performance and should be utilized," Solihin says, "as well as when prefetching would slow things down and should be avoided." These criteria also use data from each chip's hardware counters. The prefetching criteria would allow manufacturers to make multi-core chips that operate more efficiently, because each of the individual cores would automatically turn prefetching on or off as needed.

Utilizing both sets of criteria, the researchers were able to boost multi-core [chip](#) performance by 40 percent, compared to multi-core chips that do not prefetch data, and by 10 percent over multi-core chips that always prefetch data.

**More information:** The paper, "Studying the Impact of Hardware Prefetching and Bandwidth Partitioning in Chip-Multiprocessors," will be presented June 9 at the International Conference on Measurement and Modeling of Computer Systems (SIGMETRICS) in San Jose, Calif.

Provided by North Carolina State University

Citation: New bandwidth management techniques boost operating efficiency in multi-core chips (2011, May 25) retrieved 27 April 2024 from <https://phys.org/news/2011-05-bandwidth-techniques-boost-efficiency-multi-core.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.