

Long-standing question about swimming in elastic liquids, answered

May 18 2011

A biomechanical experiment conducted at the University of Pennsylvania School of Engineering and Applied Science has answered a long-standing theoretical question: Will microorganisms swim faster or slower in elastic fluids? For a prevalent type of swimming, undulation, the answer is 'slower.'

Paulo Arratia, assistant professor of [mechanical engineering](#) and applied mechanics, along with student Xiaoning Shen, conducted the experiment. Their findings were published in the journal [Physical Review Letters](#).

Many animals, [microorganisms](#) and cells move by undulation, and they often do so through elastic fluids. From worms aerating [wet soil](#) to sperm racing toward an egg, [swimming](#) dynamics in elastic fluids is relevant to a number of facets of everyday life; however, decades of research in this area have been almost entirely theoretical or done with computer models. Only a few investigations involved live organisms.

“There have been qualitative observations of sperm cells, for example, where you put sperm in water and watch their tails, then put them in an elastic fluid and see how they swim differently,” Arratia said. “But this difference has never been characterized, never put into numbers to quantify exactly how much [elasticity](#) affects the way they swim, is it faster or slower and why.”

The main obstacle for quantitatively testing these theories with live

organisms is developing an elastic fluid in which they can survive, behave normally and in which they can be effectively observed under a microscope.

Arratia and Shen experimented on the nematode *C. elegans*, building a swimming course for the millimeter-long [worms](#). The researchers filmed them through a microscope while the creatures swam the course in many different liquids with different elasticity but the same viscosity.

Though the two liquid traits, elasticity and viscosity, sound like they are two sides of the same coin, they are actually independent of each other. Viscosity is a liquid's resistance to flowing; elasticity describes its tendency to resume its original shape after it has been deformed. All fluids have some level of viscosity, but certain liquids like saliva or mucus, under certain conditions, can act like a rubber band.

Increased viscosity would slow a swimming organism, but how one would fare with increased elasticity was an open question.

“The theorists had a lot of different predictions,” Arratia said. “Some people said elasticity would make things go faster. Others said it would make things go slower. It was all over the map.

“We were the first ones to show that, with this animal, elasticity actually brings the speed and swimming efficiency down.”

The reason the nematodes swam slower has to do with how viscosity and elasticity can influence each other.

“In order to make our fluids elastic, we put polymers in them,” Arratia said. “DNA, for example, is a polymer. What we use is very similar to DNA, in that if you leave it alone it is coiled. But if you apply a force to it, the DNA or our polymer, will start to unravel.

“With each swimming stroke, the nematode stretches the polymer. And every time the polymers are stretched, the viscosity goes up. And as the [viscosity](#) goes up, it's more resistance to move through.”

Beyond giving theorists and models a real-world benchmark to work from, Arratia and Shen’s experiment opens the door for more live-organism experiments. There are still many un-answered questions relating to swimming dynamics and elasticity.

“We can increase the elasticity and see if there is a mode in which speed goes up again. Once the fluid is strongly elastic, or closer to a solid, we want to see what happens,” Arratia said. “Is there a point where it switches from swimming to crawling?”

Provided by University of Pennsylvania

Citation: Long-standing question about swimming in elastic liquids, answered (2011, May 18) retrieved 23 April 2024 from <https://phys.org/news/2011-05-long-standing-elastic-liquids.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.