

## Looking inside nanomaterials in 3 dimensions

May 16 2011



On May 13 2011, the journal *Science* published a paper where scientists from Risoe DTU (Denmark), in collaboration with scientists from China and the USA, report a new method for revealing a 3-D picture of the structure inside a material.

Most <u>solid materials</u> are composed of millions of small <u>crystals</u>, packed together to form a fully dense solid. The orientations, shapes, sizes and relative arrangement of these crystals are important in determining many material properties.



Traditionally, it has only been possible to see the crystal structure of a material by looking at a cut surface, giving just 2D information. In recent years, x-ray methods have been developed that can be used to look inside a material and obtain a 3D map of the crystal structure. However, these methods have a resolution limit of around 100nm.

In contrast, the newly developed technique now published in *Science*, allows 3D mapping of the crystal structure inside a material down to nanometer resolution, and can be carried out using a <u>transmission</u> <u>electron microscope</u>, an instrument found in many research laboratories.

Samples must be thinner than a few hundred <u>nanometers</u>. However, this limitation is not a problem for investigations of crystal structures inside nanomaterials, where the average crystal size is less than 100 nanometers, and such materials are investigated all over the world in a search for materials with new and better properties than the materials we use today.

For example, nanomaterials have an extremely high strength and an excellent wear resistance and applications therefore span from microelectronics to gears for large windmills. The ability to collect a 3D picture of the <u>crystal structure</u> in these materials is an important step in being able to understand the origins of their special properties.

An example of such a 3D map is given in the figure, showing the arrangement of crystals in a 150nm thick nanometal aluminium film. The crystals have identical <u>lattice structure</u> (arrangement of atoms) but they are orientated in different ways in the 3D sample as illustrated by the labels 1 and 2. The colours represent the orientations of the crystals and each crystal is defined by volumes of the same colour. The individual crystals of various sizes (from a few nm to about 100 nm) and shapes (from elongated to spherical) are clearly seen and mapped with a resolution of 1 nanometer.



An important advantage of such 3D methods is that they allow the changes taking place inside a material to be observed directly. For example, the mapping may be repeated before and after a heat treatment revealing how the structure changes during heating.

This new technique has a resolution 100 times better than existing nondestructive 3D techniques and opens up new opportunities for more precise analysis of the structural parameters in <u>nanomaterials</u>.

Provided by Technical University of Denmark

Citation: Looking inside nanomaterials in 3 dimensions (2011, May 16) retrieved 30 April 2024 from <u>https://phys.org/news/2011-05-nanomaterials-dimensions.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.