

Rethinking extinction risk?

May 24 2011



This is an endangered aloes plant in South Africa. Credit: M. Powell

For more than 40 years, the International Union for Conservation of Nature (IUCN) has published the Red List of Threatened Species describing the conservation status of various species of animals. They are now also including plants in their lists and the picture they present is dramatic. According to recent estimates, around 20 per cent of flowering plants are currently at risk of extinction – though the exact number is unknown since such a small proportion of plant species has even been measured.

Now, however, research conducted in South Africa and the U.K. by an



international team of researchers, led by McGill biologist Jonathan Davies and Vincent Savolainen from Imperial College London and Kew Gardens, suggests that the criteria for assessing risk of <u>extinction</u> in <u>plants</u> should be reconsidered. "Reducing rates of extinction represents one of the greatest ecological challenges of our time," Davies said, "but identifying which <u>species</u> are most at risk can be difficult." The research is published on May 24th in *PLoS Biology*.

By some criteria, a species is considered at risk if it is to be found only in a limited geographical range and if it has a small population size. But through molecular analysis of DNA sequences from plant specimens in the Cape region in South Africa, an area known for its spectacular plant diversity, the researchers have been able to show that these criteria also describe species that are relatively new arrivals. "In plants, from this area, we show that the processes of extinction and speciation [the evolutionary process by which new species arise] are linked – seemingly the most vulnerable species are often the youngest. Young species may appear at high risk of extinction simply because their populations have not yet had time to grow and spread. However, it is also possible that some plant species might be doomed to extinction from their very inception," Davies said.

They also show that the pattern of threat in the Cape differs from that for plants in the more temperate UK and from that seen for vertebrates. Deciding which species should have the highest priority for conservation is a fraught process, Savolainen suggests. "Our results challenge the application of the same sets of threat criteria across living organisms and across regions". Savolainen added: "We may need to think of ways to fine tune the implementation of 'Red List' criteria for rapid assessments of threat – a daunting task that might prove even more pressing given the changes we see in our global environment."

More information: Davies TJ, Smith GF, Bellstedt DU, Boatwright



JS, Bytebier B, et al. (2011) Extinction Risk and Diversification Are Linked in a Plant Biodiversity Hotspot. PLoS Biol 9(5): e1000620. <u>doi:10.1371/journal.pbio.1000620</u>

Provided by Public Library of Science

Citation: Rethinking extinction risk? (2011, May 24) retrieved 8 May 2024 from <u>https://phys.org/news/2011-05-rethinking-extinction.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.