


## Satellite images: Hook echoes, debris and damage

May 30 2011, By Kim Newton




Radar image of tornado near Tuscaloosa, Ala., on April 27, 2011. Credit: (NASA/SPoRT)

This image shows the radar reflectivity from the National Weather Service Doppler Radar in Birmingham, Ala. at 5:10 p.m. CDT on April 27, 2011, as a supercell thunderstorm moved across the city. The radar reflectivity is overlaid upon Advanced Spaceborne Thermal Emission and Reflection Radiometer, or ASTER, satellite data acquired on May 4,



2011, showing the damage track resulting from for the EF-4 tornado associated with the storm as it passed through the city and continued northeast toward Birmingham, Ala.

The complex pattern of ASTER data indicate variability in land use characterized by colors in this three-channel composite. Here, the ASTER data shows the tornado damage scar -- aqua in color -- left by the violent tornado as damage disrupts other, more typical land use patterns, while <u>radar data</u> shows the classic "hook echo" signature associated with the rotating storm updraft. On the lower end of the hook is a round region of enhanced radar reflectivity -- near the Interstate 359 marker -- associated with the surface debris lofted by the tornadic winds. This "debris ball" signature corresponds to the ASTER tornado damage track in this and subsequent <u>radar images</u>.



Radar image of tornado near Phil Campbell, Ala., on April 27, 2011. Credit: NASA/SPoRT



Similar to the radar and satellite composite imagery provided for the Tuscaloosa, Ala. tornado, this image from Phil Campbell, Ala. shows radar reflectivity from the National Weather Service Doppler Radar at Columbus Air Force Base, Miss. at 3:33 p.m. CDT as a strong supercell departed Marion County, Ala. and entered Franklin County, Ala. As in the Tuscaloosa case, the "hook echo" signature is apparent with enhanced radar reflectivity along the damage scar indicated by Advanced Spaceborne Thermal Emission and Reflection Radiometer, or ASTER satellite data, likely corresponding to lofted debris. Damage in the Phil Campbell area was rated as an EF-5 and continued northeast before weakening slightly in the Mount Hope, Ala. area. The damage scar continues southwest into Marion County, Ala., through the community of Hackleburg, Ala. -- not shown -- and further to the northeast as the storm continued into southwestern Lawrence County, Ala.

These images were created by the NASA Short-term Prediction Research and Transition, or SPoRT, Center at Marshall Space Flight Center in Huntsville, Ala., using ASTER data provided courtesy of NASA's Goddard Space Flight Center in Greenbelt, Md.; the United States Geological Survey Land Processes Distributed Active Archive Center in Sioux Falls, S.D., Japan's Earth Remote Sensing Data Analysis Center in Tokyo, Japan; the Ministry of Economy, Trade and Industry, along with the Japan Research Observation System Organization. Final ASTER imagery were produced using resources of the Nebula Cloud Computing Platform, tiled, and displayed within Google Earth. Radar imagery were provided by the NOAA National Climatic Data Center's NEXRAD Archive in Asheville, N.C. Storm survey information was provided by the National Weather Service Forecast Offices in Birmingham and Huntsville, Ala.



Citation: Satellite images: Hook echoes, debris and damage (2011, May 30) retrieved 6 May 2024 from <u>https://phys.org/news/2011-05-satellite-images-echoes-debris.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.