


NASA completes mirror polishing for James Webb Space Telescope

June 30 2011



This image shows the four different types of mirrors on the Webb telescope. From left to right are: a primary mirror segment, the secondary mirror, tertiary mirror and the fine steering mirror. The bottom right shows an artist's conception of the Webb telescope optics with its 18 primary mirror segments. Credit: NASA/Ball Aerospace/Tinsley

Mirrors are a critical part of a telescope. The quality is crucial, so completion of mirror polishing represents a major milestone. All of the mirrors that will fly aboard NASA's James Webb Space Telescope have been polished so the observatory can see objects as far away as the first galaxies in the universe.

The Webb telescope is comprised of four types of mirrors. The primary one has an area of approximately 25 square meters (29.9 square yards),

which will enable scientists to capture light from faint, distant objects in the universe faster than any previous [space observatory](#). The mirrors are made of [Beryllium](#) and will work together to relay images of the sky to the telescope's science cameras.

"Webb's mirror polishing always was considered the most challenging and important technological milestone in the manufacture of the telescope, so this is a hugely significant accomplishment," said Lee Feinberg, Webb [Optical Telescope](#) manager at NASA's Goddard Space Flight Center in Greenbelt, Md.

The mirrors were polished at the L3 Integrated [Optical Systems](#) - Tinsley in Richmond, Calif. to accuracies of less than one millionth of an inch. That accuracy is important for forming the sharpest images when the mirrors cool to -400°F (-240°C) in the cold of space.

"The completion of the mirror polishing shows that the strategy of doing the hardest things first has really paid off," said Nobel Prize Winner John C. Mather, Webb's senior project scientist at Goddard. "Some astronomers doubted we could make these mirrors."

After polishing, the [mirrors](#) are being coated with a microscopically thin layer of gold to enable them to efficiently reflect infrared light. NASA has completed coating 13 of 18 primary mirror segments and will complete the rest by early next year. The 18 segments fit together to make one large mirror 21.3 feet (6.5 meters) across.

"This milestone is the culmination of a decade-long process," said Scott Willoughby, vice president and Webb Telescope Program manager for Northrop Grumman Aerospace Systems. "We had to invent an entire new mirror technology to give Webb the ability to see back in time."



NASA engineer Ernie Wright looks on as the first six flight ready James Webb Space Telescope's primary mirror segments are prepped to begin final cryogenic testing at NASA's Marshall Space Flight Center in Huntsville, Ala. Credit: NASA/MSFC/David Higginbotham

Northrop Grumman Corp. in Redondo Beach, Calif. is the telescope's prime contractor.

As the successor to the Hubble Space Telescope, the Webb telescope is the world's next-generation space observatory. It is the most powerful [space telescope](#) ever built. More than 75 percent of its hardware is either in production or undergoing testing. The telescope will observe the most distant objects in the universe, provide images of the first galaxies ever formed and study planets around distant stars. NASA, the European Space Agency and the Canadian Space Agency are collaborating on this project.

Provided by NASA's Goddard Space Flight Center

Citation: NASA completes mirror polishing for James Webb Space Telescope (2011, June 30) retrieved 10 April 2024 from <https://phys.org/news/2011-06-nasa-mirror-james-webb-space.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.