


Paved surfaces can foster build-up of polluted air

June 7 2011



Paved surfaces in the Houston area keep the city warmer than more natural surfaces. As a result, overnight temperatures are often similar between the city and nearby offshore areas, which weakens summertime breezes and enables air pollution to build up. The stagnant conditions also persist during the day because of larger-scale wind patterns. Credit: ©UCAR, Illustration by Lex Ivy.

New research focusing on the Houston area suggests that widespread urban development alters wind patterns in a way that can make it easier for pollutants to build up during warm summer weather instead of being blown out to sea.

The international study, led by the National Center for Atmospheric Research (NCAR), could have implications for the [air](#) quality of fast-growing coastal cities in the United States and other midlatitude regions

overseas. The reason: the proliferation of strip malls, subdivisions, and other paved areas may interfere with breezes needed to clear away smog and other pollution.

The research team combined extensive atmospheric measurements with [computer simulations](#) to examine the impact of pavement on breezes in Houston. They found that, because pavement soaks up heat and keeps [land areas](#) relatively warm overnight, the contrast between land and [sea temperatures](#) is reduced during the summer. This in turn causes a reduction in nighttime winds.

In addition, built structures interfere with local winds and contribute to relatively stagnant afternoon weather conditions.

"The developed area of Houston has a major impact on local air pollution," says NCAR scientist Fei Chen, lead author of the new study. "If the city continues to expand, it's going to make the winds even weaker in the summertime, and that will make air pollution much worse."

While cautioning that more work is needed to better understand the impact of urban development on [wind patterns](#), Chen says the research can eventually help forecasters improve projections of major pollution events. Policy makers might also consider new approaches to development as cities work to clean up unhealthy air.

The article will be published this month in the *Journal of Geophysical Research- Atmospheres*, a publication of the [American Geophysical Union](#). The research was funded by the U.S. Air Force Weather Agency, the U.S. Defense Threat Reduction Agency, and the National Science Foundation, NCAR's sponsor. In addition to NCAR, the authors are affiliated with the China Meteorological Administration, the U.S. National Oceanic and Atmospheric Administration, and the University

of Tsukuba in Japan. The research built on a number of previous studies into the influence of urban areas on air pollution.

Cleansing the air with more parks and lakes?

Houston, known for its mix of petrochemical facilities, sprawling suburbs, and traffic jams that stretch for miles, has some of the highest levels of ground-level ozone and other air pollutants in the United States. State and federal officials have long worked to regulate emissions from factories and motor vehicles in an effort to improve air quality.

The new study suggests that focusing on the city's development patterns and adding to its already extensive park system could provide air quality benefits as well.

"If you made the city greener and created lakes and ponds, then you probably would have less air pollution even if emissions stayed the same," Chen explains. "The nighttime temperatures over the city would be lower and winds would become stronger, blowing the pollution out to the Gulf."

Chen adds that more research is needed to determine whether paved areas are having a similar effect in other cities in the midlatitudes where sea breezes are strongest. [Coastal cities](#) from Los Angeles to Shanghai are striving to reduce air pollution levels. However, because each city's topography and climatology is different, it remains uncertain whether expanses of pavement are significantly affecting wind patterns.

Nine days of pollution

For the Houston study, Chen and his colleagues focused on the onset of a nine-day period of unusually hot weather, stagnant winds, and high

pollution in the Houston-Galveston area that began on August 30, 2000. They chose that date partly because they could draw on extensive atmospheric measurements taken during that summer by researchers participating in a field project known as the Texas Air Quality Study 2000. That campaign was conducted by the National Oceanic and Atmospheric Administration, the U.S. Department of Energy, universities, and the Texas Natural Resource Conservation Commission.

In addition to the real-world measurements, the study team created a series of computer simulations with a cutting-edge software tool, NCAR's Advanced Weather Research and Forecasting model.

Fei and his colleagues focused on wind patterns, which are driven by temperature contrasts between land and sea. If Houston were covered with cropland instead of pavement, as in one of the computer simulations, inland air would heat up more than marine air during summer days and cause a sea breeze to blow onshore in the afternoon. Conversely, as the inland air became cooler than marine air overnight, a land breeze would blow offshore—potentially blowing away pollution.

In contrast, the actual paved surfaces of Houston absorb more heat during the day and are warmer overnight. This results in stagnation for three reasons:

- At night, the city's temperatures are similar to those offshore. The lack of a sharp temperature gradient has the effect of reducing winds.
- During the day, the hot paved urban areas tend to draw in air from offshore. However, this air is offset by prevailing wind patterns that blow toward the water, resulting in relatively little net movement in the atmosphere over the city.

- Buildings and other structures break up local winds far more than does the relatively smooth surface of croplands or a natural surface like grasslands. This tends to further reduce breezes.

"The very existence of the Houston area favors stagnation," the article states.

The study also found that drought conditions can worsen air pollution. This is because dry soil tends to heat up more quickly than wet soil during the day. It releases more of that heat overnight, reducing the temperature contrast between land and water and thereby reducing nighttime breezes.

By comparing observations taken in 2000 with computer simulations of Houston-area winds and temperatures, the researchers were able to confirm that the Advanced Weather Research and Forecasting model was accurately capturing local meteorological conditions.

Provided by National Center for Atmospheric Research

Citation: Paved surfaces can foster build-up of polluted air (2011, June 7) retrieved 19 April 2024 from <https://phys.org/news/2011-06-paved-surfaces-foster-build-up-polluted.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.