

Piece of cake: Arrays of long nanotubes may help measure terahertz laser power

July 19 2011



"Cupcakes" of vertically aligned carbon nanotube arrays (VANTAs) grown on silicon, which appears blue in the photo. A chunk of VANTA can be sliced from the silicon with a razor blade and, using the blade as a spatula, easily moved to the top of a laser power detector. The very dark nanotube coating absorbs terahertz laser light. Credit: Lehman/NIST

Terahertz radiation can penetrate numerous materials—plastic, clothing, paper and some biological tissues—making it an attractive candidate for applications such as concealed weapons detection, package inspection and imaging skin tumors. However, to date there is no standard method for measuring the absolute output power of terahertz lasers, one source of this type of radiation. Now, researchers at the National Institute of Standards and Technology (NIST) have found that dense arrays of extralong carbon nanotubes absorb nearly all light of long wavelengths, and



thus are promising coatings for prototype detectors intended to measure terahertz laser power.

The research is part of NIST's effort to develop the first reference standards for calibrating lasers that operate in the terahertz range, from the far infrared at wavelengths of 100 micrometers to the edge of the microwave band at 1 millimeter.

"There is no measurement traceability for absolute power for terahertz <u>laser</u> sources," NIST project leader John Lehman says. "We have customers asking for the calibrations. This coating looks viable for terahertz laser power detectors."

The coating, called a VANTA (vertically aligned carbon nanotube array), has several desirable properties. Most obviously, it is easy to handle. The nanotubes are tens of micrometers to over a millimeter long, so a dense layer is visible without a microscope. A chunk of VANTA can be cut, lifted, and carried like a piece of cake, making it easy to transfer from a silicon surface where the tubes are grown to a laser power detector.

Most importantly, the coating is very dark. The NIST team evaluated three VANTA samples with average lengths of 40 and 150 micrometers and 1.5 millimeters (mm) and found that longer tubes reflect less light. The 1.5 mm version reflects almost no light—just 1 percent at a wavelength of 394 micrometers. This result, the first-ever evaluation of a VANTA's reflectance at that terahertz wavelength, indicates that virtually all arriving laser light is absorbed, which would enable highly accurate measurements of laser power.

The 1.5 mm VANTA absorbs more light than comparable coatings such as gold black, but more work is needed to calculate uncertainties and determine effects of factors such as light angle. The project extends NIST's long history in laser power measurements and Lehman's recent



advances in ultradark nanotube coatings.

VANTAs also have desirable thermal properties. NIST researchers found that the material absorbs and releases heat quickly compared to other black coatings, which will make the detectors more responsive and quicker to produce signals. Otherwise, a coating thick enough to absorb long wavelengths of light would not efficiently transmit heat to the detector.

In developing the capability for terahertz laser radiometry, NIST is building a terahertz laser designed for routine measurements and a detector called a thermopile to measure the laser's power. This simple detector design produces a voltage when heat is applied to a junction of two dissimilar metals. NIST researchers used the VANTA to coat a prototype thermopile. Further research is planned to design detectors that might be used as reference standards.

More information: J.H. Lehman, B. Lee and E.N. Grossman. Far infrared thermal detectors for radiometry using a carbon nanotube array. Applied Optics. Posted online July 18, 2011.

Provided by National Institute of Standards and Technology

Citation: Piece of cake: Arrays of long nanotubes may help measure terahertz laser power (2011, July 19) retrieved 1 May 2024 from https://phys.org/news/2011-07-piece-cake-arrays-nanotubes-terahertz.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.