

Did colossal WWII bombing raids alter weather?

July 8 2011, By Joel N. Shurkin



This is a formation of B-17F Flying Fortress bombers of USAAF 92nd Bomb Group over Europe, circa 1943 . Credit: United States Air Force

On May 11, 1944, a warm and cloudless spring day, U.S. Army Air Force B-24 Liberators, B-17 Flying fortresses and their fighter escorts lifted off from airfields across southeast England. They climbed, circled, and then formed into one huge formation before heading out to bomb targets in Nazi-occupied Europe.

The bombers and hundreds of fighters flying escort, forming two missions four hours apart, filled the sky with contrails. Researchers from Lancaster University and the Environmental Agency in the U.K. combed through military and meteorological records and determined that the vast cloud cover created by aircraft condensation trails -- or contrails --

slowed the rise of temperatures on the ground that morning.

The research gives some credence to the theory that contrails in the sky might alter the weather below.

According to B-17 navigator Marshall Stelzriede's journal, the sight from the air was just as awesome as the view from below.

"It is difficult to imagine, without actually seeing it, what the sky looked like with 700 to 800 B-17s and B-24s in the air, particularly when each plane produced its own condensation trail under certain atmospheric conditions," Stelzriede wrote.

Contrails are produced when hot moist air from engine exhausts hit colder air in the atmosphere. Most dissipate quickly, but some stay as long tails marking the path of the plane. In wartime, pilots tried to avoid making contrails over bombing targets because they made it easier for enemy aircraft to track their planes.

"The classic conditions for contrails is just ahead of a warm front," said Rob MacKenzie one of the Lancaster researchers now at the University of Birmingham. "To get really persistent cloudiness due to aircraft you really need to be flying the aircraft through air that is ready to form a cloud, supersaturated."

Essentially, the contrails trigger clouds. The long trails are made up of moisture from the air, not the exhaust, MacKenzie said.

The idea that contrails affect weather is not entirely new. After the attacks on Washington, D.C. and New York on 9/11, American skies were clear of all [aircraft](#) for three days. Researchers reported a 2 degree Fahrenheit change in the variation between high and low temperatures -- which disappeared when commercial flights resumed.

But that conclusion is controversial.



These are vapor trails as a flight of B-17's joins another flight for a long-range mission. Credit: Annette Ryan

MacKenzie, Roger Timmis, and Annette Ryan at Lancaster, working with the Royal Air Force Museum at Hendon, went back through the records from 1943 to the war's end in 1945. With the help of the museum staff, they were able to center on the May 11 raid. From pilot briefings, they found the planes in the morning mission produced contrails when they reached 12,000-15,000 feet, relatively low, so they concentrated on that mission. There were no missions the next few days and the weather did not change notably, providing something of a control.

The morning squadron was enormous, 363 B-24s and 536 fighters in escort. The target was marshalling yards in France, places where the Germans assembled troops. All or most of the planes produced contrails.

Using data from weather stations on the ground, they looked at the increase of temperature through the morning from stations covered by

the contrail cloud and found the temperature increase during the morning lagged by about 2 degrees Fahrenheit from stations not under the cloud. The contrails, being white, were reflecting sunlight back into space.

The research was reported in the [International Journal of Climatology](#).

David Travis of the University of Wisconsin-Whitewater, who authored the study detailing how the clear skies after 9/11 cooled temperatures, said the Lancaster report is the first to give some empirical support to his theory.

How much the Lancaster study adds to the debate, Travis said, is unclear because the contrails of modern jets are much higher than those studied by the Lancaster group and the warming-cooling dynamics may be different. What it does hint at is that contrails can alter local weather.

More information: World War II contrails: a case study of aviation-induced cloudiness, [DOI: 10.1002/joc.2392](https://doi.org/10.1002/joc.2392)

Abstract

Dense and persistent condensation trails or contrails were produced by daytime US Army Air Force (USAAF) bombing raids, flown from England to Europe during World War II (WW2). These raids occurred in years when civilian air travel was rare, giving a predominantly contrail-free background sky, in a period when there were more meteorological observations taken across England than at any time before or since. The aircraft involved in the raids entered formation at contrail-forming altitudes (generally over 16 000 ft, approximately 5 km) over a relatively small part of southeast England before flying on to their target. This formation strategy provides us a unique opportunity to carry out multiple observation-based comparisons of adjacent, same day, well-defined overflowed and non-over-flown regions.

We compile evidence from archived meteorological data, such as Met Office daily weather reports and individual station meteorological registers, together with historical aviation information from USAAF and Royal Air Force (RAF) tactical mission reports. We highlight a number of potential dates for study and demonstrate, for one of these days, a marked difference in the amount of high cloud cover, and a statistically significant (0.8 °C) difference in the 07:00–13:00 UTC temperature range when comparing data from highly overflown stations to those upwind of the flight path on the same day. Although one event cannot provide firm conclusions regarding the effect of contrails on climate, this study demonstrates that the wealth of observational data associated with WW2 bombing missions allows detailed investigation of meteorological perturbations because of aviation-induced cloudiness.

Source: Inside Science News Service

Citation: Did colossal WWII bombing raids alter weather? (2011, July 8) retrieved 20 April 2024 from <https://phys.org/news/2011-07-world-war-ii-raids-insight.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--