

# Dynamic toll for smooth-flowing traffic

August 12 2011

---



Highway traffic can flow more freely thanks to a dynamic toll. Siemens has developed a special algorithm for traffic control systems that adjusts the toll charge to the current traffic situation. In return, the system lets motorists enjoy the benefits of getting to their destinations more quickly, while also helping to prevent traffic jams and reduce fuel consumption and CO<sub>2</sub> emissions. The first special highway lane with the innovative control system, known as the "fast lane", is on the highway connecting Jerusalem and Tel Aviv in Israel.

Many densely populated areas have problems with traffic during peak periods. Special lanes whose use is subject to a fee are often provided to improve the flow of traffic and encourage people to form car pools or use public transportation. The greatest challenge here is the need to set the fees at a level that will ensure the lane's capacity is sufficiently

utilized and that [traffic jams](#) will be prevented. [Siemens](#) Mobility has responded to this challenge by developing a traffic control system that enables a steady driving speed while ensuring optimal use of capacity.

The system uses induction loops in the road surface to register the speed and numbers of vehicles on the free driving lanes and the fast lane. The heart of the system is a complex [algorithm](#) that uses the measured data to calculate the toll fees down to the minute. Ultimately this leads to evenly distributed traffic density on the special lane: When traffic is light, the toll fee drops, giving drivers an incentive to use the lane. When traffic gets heavier, the fee increases, which deters some drivers and thus prevents congestion. The updated toll fee is displayed on electronic traffic signs at entrances to the fast lane. For calculating the toll fee, a video system films the vehicle's license plate number when it enters the lane. The fee can be debited from the bank accounts of drivers who have registered for this option in advance; otherwise they receive a bill. Buses and fully occupied vehicles are exempt from the toll. The fast lane is 12 kilometers long and makes it possible to cover the distance in about 12 minutes - compared to the 30 to 60 minutes the trip can take during peak hours.

The fast lane was built by Shapir Civil & Marine Engineering Ltd., an Israeli company. And another Israeli company, R.S. Industries / Orad Group, is responsible for toll billing. From Siemens' point of view, a very promising market for the new traffic control system is the U.S., where there are already many fast lanes in use, but so far with little flexibility of toll calculation.

Provided by Siemens AG

Citation: Dynamic toll for smooth-flowing traffic (2011, August 12) retrieved 2 April 2023 from <https://phys.org/news/2011-08-dynamic-toll-smooth-flowing-traffic.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.