

## Getting inside the mind (and up the nose) of our ancient ancestors

August 17 2011



Artistic reconstruction of the galeaspid animal together with different views of the digital model of its brain and sense organs

(PhysOrg.com) -- Reorganisation of the brain and sense organs could be the key to the evolutionary success of vertebrates, one of the great puzzles in evolutionary biology, according to a paper by an international team of researchers, published today in *Nature*.

The study claims to have solved this scientific riddle by studying the <u>brain</u> of a 400 million year old fossilized jawless fish – an evolutionary intermediate between the living jawless and jawed vertebrates (animals with backbones, such as humans).



Palaeontologists and physicists from the University of Bristol (UK), the Institute of Vertebrate Palaeontology and Palaeoanthropology (IVPP, China), Museum national d'Histoire naturelle (Paris, France) and the Paul Scherrer Institut (Switzerland) collaborated to study the structure of the head of a primitive fossil jawless fish called a galeaspid.

Instead of breaking the fossil up, they studied it using high energy X-rays at the Swiss Light Source in Switzerland, revealing the shape of the animal's brain and <u>sense organs</u>.

Lead author, Gai Zhi-kun of the University of Bristol and the IVPP, China, said "We were able to see the paths of all the veins, nerves and arteries that plumbed the brain of these amazing fossils. They had brains much like living sharks – but no jaws."

The origin of a mouthful of jaws and teeth is one of the biggest steps in our evolutionary history but fossils have not provided any insights – until now.





Restoration of external morphology of Shuyu zhejiangensis. (Image by GAI Zhikun)

Zhi-kun continued: "We've been able to show that the brain of vertebrates was reorganised before the evolutionary origin of jaws."

Co-author, Professor Philip Donoghue of the University of Bristol's School of Earth Sciences said: "In the embryology of living vertebrates, jaws develop from stem cells that migrate forwards from the hindbrain, and down between the developing nostrils. This does not and cannot happen in living jawless vertebrates because they have a single nasal organ that simply gets in the way."



Professor Min Zhu of IVPP continued: "This is the first real evidence for the steps that led to the evolutionary origin of jawed <u>vertebrates</u>, and the fossil provides us with rock solid proof."

Professor Philippe Janvier of the Museum national d'Histoire naturelle, Paris, said: "This research has been held back for decades, waiting for a technology that will allow us to see inside the fossil without damaging it. We could not have done this work without this crazy collaboration between palaeontologists and physicists."

Professor Marco Stampanoni of the Paul Scherrer Insitut, the location of the Swiss Light Source said: "We used a particle accelerator called synchrotron as X-ray source for performing non destructive 3D microscopy of the sample. It allowed us to make a perfect computer model of the fossil that we could cut up in any way that we wanted, but without damaging the fossil in any way. We would never have got permission to study the <u>fossil</u> otherwise!"

**More information:** Gai, Z-k., Donoghue, P. C. J., Zhu, M., Janvier, P. and Stampanoni, M. Fossil jawless fish from China foreshadows early jawed vertebrate anatomy *Nature*.

Provided by University of Bristol

Citation: Getting inside the mind (and up the nose) of our ancient ancestors (2011, August 17) retrieved 9 May 2024 from <u>https://phys.org/news/2011-08-mind-nose-ancient-ancestors.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.