

# Scientists pioneer new method for nanoribbon production

August 9 2011

---

Research involving scientists from The University of Nottingham is pioneering a new method of studying and making molecules.

The work, reported in [Nature Materials](#), could pave the way for the production of [nanomaterials](#) for use in a new generation of computers and data storage devices that are faster, smaller and more powerful.

The Nottingham research group, led by Dr Andrei Khlobystov in the University's School of Chemistry, specialise in the chemistry of nanomaterials and has been studying carbon nanotubes as containers for molecules and atoms.

Carbon nanotubes are remarkable [nanostructures](#) with a typical diameter of 1-2 nanometres, which is 80,000 times smaller than the thickness of a human hair. Over the past few years, the researchers have discovered that physical and chemical properties of molecules inserted into carbon nanotubes are very different to the properties of free molecules. This presents a powerful mechanism for manipulating the molecules, harnessing their functional properties, such as magnetic or optical, and for controlling their [chemical reactivity](#).

The latest study is a collaboration between Dr Khlobystov's chemical nanoscientists, theoretical chemists based in the University's School of Chemistry and electron microscopists from Ulm University in German.

Working together, they have demonstrated that carbon nanotubes can be

used as nanoscale [chemical reactors](#) and chemical reactions involving carbon and sulphur atoms held within a nanotube lead to the formation of atomically thin strips of carbon, known as graphene nanoribbon, decorated with sulphur atoms around the edge.

Dr Khlobystov said: "Graphene nanoribbons possess a wealth of interesting physical properties making them more suitable for applications in electronic and spintronic devices than the parent material graphene — the discovery of which attracted the Nobel Prize for Physics last year for University of Manchester scientists Professors Andre Geim and Konstantin Novoselov.

"Nanoribbons are very difficult to make but the Nottingham team's strategy of confining chemical reactions at the nanoscale sparks spontaneous formation of these remarkable structures. The team has also discovered that nanoribbons — far from being simple flat and linear structures — possess an unprecedented helical twist that changes over time, giving scientists a way of controlling physical properties of the nanoribbon, such as electrical conductivity."

Devices based on nanoribbons could potentially be used as nano-switches, nano-actuators and nano-transistors integrated in computers or data [storage devices](#).

**More information:** *Nature Materials* (2011) [doi:10.1038/nmat3082](https://doi.org/10.1038/nmat3082)

Provided by University of Nottingham

Citation: Scientists pioneer new method for nanoribbon production (2011, August 9) retrieved 19 April 2024 from <https://phys.org/news/2011-08-scientists-method-nanoribbon-production.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.